

TEST REPORT

Applicant : NINGBO SHENGHEQUAN SILICONE TECHNOLOGY CO., LTD.
Address : No. 2 shenjia East District, Wanshousi Village, Zhouxiang Town, Cixi City Ningbo City, Zhejiang

Product Description : Please refer to next Pages.
Type/Style/Item No. : Please refer to next Pages.
Labeled Age Grading : 0 Years+
Manufacturer : /

The above sample(s) and information were provided by the client.

Sample Receiving Date : Sep.24th, 2025
Testing Period : Sep.24th, 2025- Sep.30th, 2025

Testing Category : Entrusting Test
Sample Status : Sample and packages are suitable for testing.
Testing Requested : Please refer to next Pages.
Testing Method : Please refer to next Pages.
Testing Results : Please refer to next Pages.

Approved by:
Authorized Signature



Only the client is authorized to permit copying or distribution of this report and then only in its entirety. The test report will be deemed invalid unless there are signatures of approved personnel, and special report stamp of our lab. The test results shown in this report is only applicable for the samples supplied by the applicant and accepted by our lab, and the applicant is responsible for the representative of the samples. If there is any dissent of the results, applicant should notify our lab after obtaining the report in 15 working days. Unless otherwise specified, the report without the CMA seal is only used for customer research, teaching, internal quality control, product development and other purposes, and is for internal reference only.



TEST REPORT

Product Description and Type/Style/Item No.:

Product Description	Item No.	Product Description	Item No.
Silicone Animal plates for kids	MC-001	Silicone New Baby bib	MW-001
Silicone Square plates for animal children	MC-002	Silicone Baby bib	MW-002
Silicone Baby elephant divider plate	MC-003	Silicone Baby bib	MW-003
Silicone Baby elephant dinner plate	MC-005	Silicone Baby bib	MW-004
Silicone Baby dinosaur dinner plate	MC-006	Silicone Baby bib	MW-005
Silicone Baby whale dinner plate	MC-007	Two-tone silicone bib	MW-006
Silicone Baby unicorn dinner plate	MC-008	Silicone Baby bib	MW-007
Silicone Baby bear divider plate set	MC-011	Children's silicone baby bottle	MB-001
Silicone Baby beef plate	MC-016	Children's silicone heart cup set	MB-002
Silicone Dinosaur plate	MC-021	Children's silicone double-ear cup set	MB-003
Silicone Dinosaur plate	MC-022	Children's silicone straw cup	MB-009
Silicone tray for kids	MC-023	Children's silicone water cup	MB-006
Silicone Elephant plate	MC-035	Silicone penguin cup for kids	MB-008
Silicone Duck plate	MC-040	Children's silicone cup	MB-007
Silicone Star plate	MC-042	Children's silicone snack cup	MB-011
Silicone Cloud plate	MC-043	Children's silicone training cup	MB-010
Silicone Monkey plate	MC-044	Silicone Complementary food spoon	MS-002
Silicone Teddy bear plate	MC-045	Silicone Complementary food spoon	MS-003
Silicone snail bowl for kids	MC-046	Children's silicone cartoon spoon and fork	MS-004
Silicone children's garden bowl	MC-047	Silicone Spoons and forks	MS-005
Silicone relief plate for children	MC-048	Silicone bear spoon and fork for kids	MS-007
Children's Silicone Bear Dinner Plate	MC-024	Children's silicone wooden-handled spoon and fork	MS-008
Children's silicone crab-shaped dinner plate	MC-019	Children's silicone long-handled spoon	MS-009
Children's silicone compartment tray	MC-053	Children's silicone stainless steel spoons and forks	MS-010
Children's silicone bear bowl	MC-052	Silicone Baby tableware-3	MT-001
Silicone Cloud mat	MY-004	Silicone Baby tableware-3	MT-002
Silicone Bear pad	MY-005	Silicone children's 4-piece tableware set	MT-003
Silicone Thumb toothbrush	MY-006	Silicone sheep plate set for kids	MT-004
Silicone Pacifier	MY-008	Silicone rabbit dinner plate set for kids	MT-005
Children's Silicone Painting Pad	MY-010	Silicone Supplementary tableware-3	MT-010



TEST REPORT

Product Description	Item No.	Product Description	Item No.
Children's Silicone Drawing mat	MY-011	Silicone Baby feeding set-3	MT-011
Silicone Placemat for kids	MY-012	Silicone Dinosaurs plate & cup	MT-012
Children's Silicone Table Mat	MY-002	Silicone Rabbit plate & cup	MT-013
Baby silicone toothbrush	MY-013	Silicone Baby feeding set-5	MT-019
Silicone Baby feeding set-6	MT-025	Silicone Baby crabs plate bib set-9	MT-021
Silicone Baby feeding set-6	MT-026	Silicone Baby feeding set-8	MT-022
Silicone Baby feeding set-6	MT-027	Silicone Baby feeding set-6	MT-023
Silicone Baby feeding set-6	MT-028	Silicone Baby feeding set-6	MT-024
Children's silicone chicken compartment tray	MT-029		



TEST REPORT

TEST REQUESTED AND CONCLUSION

Tested Part	Testing Requested	Conclusion
-	EU Toys Directive 2009/48/EC- Safety of Toys with amending Directive(EU) 2017/738	-
P1	-EN 71-1:2014+A1:2018 Safety of Toys Part 1:Mechanical and Physical Properties	<u>PASS</u>
	-EN 71-2:2020 Safety of Toys Part 2:Flammability	<u>PASS</u>
	-Labeling Requirement	<u>PASS</u>
P2 to P31	-EN 71-3:2019+A1:2021 Safety of Toys Part 3:Migration of certain elements	<u>PASS</u>

Note: The tested part and model of the sample was specified by client. The test conclusion was given based on the results of tested part.

TEST REPORT

SAMPLE DESCRIPTION

Part Num.	Sample ID	Description
P1	NS25092709A-BW	Toys
P2	NS25092709A-1	Yellow silicone
P3	NS25092709B-1	Green silicone
P4	NS25092709C-1	Purple silicone
P5	NS25092709D-1	Brown silicone
P6	NS25092709D-2	Silver metal
P7	NS25092709E-1	A greenish-blue silicone
P8	NS25092709F-1	A deep pink silicone
P9	NS25092709F-2	Yellow wood
P10	NS25092709G-1	Yellowish-brown silicone
P11	NS25092709H-1	Dark brown silicone
P12	NS25092709I-1	Pink silicone
P13	NS25092709J-1	Dark green silicone
P14	NS25092709L-1	Sky-blue silicone
P15	NS25092709M-1	Pinkish-purple silicone
P16	NS25092709N-1	Purple silicone
P17	NS25092709O-1	Transparent plastic straw
P18	NS25092709P-1	Dark pink silicone
P19	NS25092709Q-1	Sky-blue silicone
P20	NS25092709R-1	Khaki silicone
P21	NS25092709S-1	Dark green silicone
P22	NS25092709T-1	Off-white silicone pad
P23	NS25092709U-1	Yellow silicone pad
P24	NS25092709V-1	Blue-green silicone pad
P25	NS25092709W-1	Pink transparent plastic
P26	NS25092709W-2	Transparent soft plastic
P27	NS25092709X-1	Pink plastic
P28	NS25092709X-2	White plastic
P29	NS25092709X-3	Transparent plastic
P30	NS25092709Y-1	Transparent and black silicone
P31	NS25092709AP-1	White silicone



TEST REPORT

TEST RESULTS

1) Mechanical and Physical Properties

Test Method: With reference to EN 71-1:2014+A1:2018.

Clause	Description	P1 Results
4	General requirements	-
4.1	Material cleanliness	<u>PASS</u>
4.2	Assembly	<u>N.A.</u>
4.3	Flexible silicone sheeting	<u>N.A.</u>
4.4	Toy bags	<u>N.A.</u>
4.5	Glass	<u>N.A.</u>
4.6	Expanding materials	<u>N.A.</u>
4.7	Edges	<u>PASS</u>
4.8	Points and metallic wires	<u>PASS</u>
4.9	Protruding parts	<u>N.A.</u>
4.10	Parts moving against each other	<u>N.A.</u>
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	<u>PASS</u>
4.12	Balloons	<u>N.A.</u>
4.13	Cords of toy kites and other flying toys	<u>N.A.</u>
4.14	Enclosures	<u>N.A.</u>
4.15	Toys intended to bear the mass of a child	<u>N.A.</u>
4.16	Heavy immobile toys	<u>N.A.</u>
4.17	Projectiles toys	<u>N.A.</u>
4.18	Aquatic toys and inflatable toys	<u>N.A.</u>
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	<u>N.A.</u>
4.20	Acoustics	<u>N.A.</u>
4.21	Toys containing a non-electrical heat source	<u>N.A.</u>
4.22	Small balls	<u>PASS</u>
4.23	Magnets	<u>N.A.</u>
4.24	Yo-yo balls	<u>N.A.</u>
4.25	Toys attached to food	<u>PASS</u>
4.26	Toy Disguise Costumes	<u>N.A.</u>
4.27	Flying toys	<u>N.A.</u>

TEST REPORT

Clause	Description	P1 Results
5	Toys intended for children under 36 months	-
5.1	General requirements	<u>PASS</u>
5.2	Soft-filled toys and soft-filled parts of a toy	<u>N.A.</u>
5.3	Silicone sheeting	<u>N.A.</u>
5.4	Cords, chains and electrical cables in toys	<u>N.A.</u>
5.5	Liquid-filled toys	<u>N.A.</u>
5.6	Speed limitation of electrically-driven ride-on toys	<u>N.A.</u>
5.7	Glass and porcelain	<u>N.A.</u>
5.8	Shape and size of certain toys	<u>PASS</u>
5.9	Toys comprising monofilament fibres	<u>N.A.</u>
5.10	Small balls	<u>PASS</u>
5.11	Play figures	<u>N.A.</u>
5.12	Hemispheric-shaped toys	<u>PASS</u>
5.13	Suction cups	<u>PASS</u>
5.14	Straps intended to be worn fully or partially around the neck	<u>N.A.</u>
6	Packaging	<u>PASS</u>
7	Warnings, markings and instructions for use	<u>PASS</u>

Remarks:

- (1) N.A. = Not Applicable.
- (2) N.T. = Not Testing under applicant's requirement;
- (3) N.C. = No Conclusions.

2) Flammability

Test Method: With reference to EN 71-2:2020

Clause	Description	P1 Results
4	Requirements	-
4.1	General requirements	<u>PASS</u>
4.2	Toys to be worn on the head	<u>N.A.</u>
4.3	Toy disguise costumes and toys intended to be worn by a child in play	<u>N.A.</u>
4.4	Toys intended to be entered by a child	<u>N.A.</u>
4.5	Soft-filled toys	<u>N.A.</u>

Remarks:

- (1) Combustion gas: Butane.
- (2) Washing details: /



TEST REPORT

3) Certain Element Migration Test

Test Method: With reference to EN 71-3:2019+A1:2021, analyzed by ICP-OES and IC.

Element	Limit	MDL	P2 Result	P4 Result	P5 Result
Aluminum (Al)	28130	250	N.D.	N.D.	N.D.
Antimony (Sb)	560	5	N.D.	N.D.	N.D.
Arsenic (As)	47	5	N.D.	N.D.	N.D.
Barium (Ba)	18750	250	N.D.	N.D.	N.D.
Boron (B)	15000	250	N.D.	N.D.	N.D.
Cadmium (Cd)	17	5	N.D.	N.D.	N.D.
Chromium (III)	460	5	N.D.	N.D.	N.D.
Chromium (VI)	0.053	0.025	N.D.	N.D.	N.D.
Cobalt (Co)	130	10	N.D.	N.D.	N.D.
Copper (Cu)	7700	50	N.D.	N.D.	N.D.
Lead (Pb)	23	5	N.D.	N.D.	N.D.
Manganese (Mn)	15000	250	N.D.	N.D.	N.D.
Mercury (Hg)	94	5	N.D.	N.D.	N.D.
Nickel (Ni)	930	10	N.D.	N.D.	N.D.
Selenium (Se)	460	5	N.D.	N.D.	N.D.
Strontium (Sr)	56000	250	N.D.	N.D.	N.D.
Tin (Sn)	180000	5	N.D.	N.D.	N.D.
Zinc (Zn)	46000	250	N.D.	N.D.	N.D.
Organic tin (Sn) [#]	12	2.5	N.D.	N.D.	N.D.

TEST REPORT

Element	Limit	MDL	P7 Result	P8 Result	P9 Result
Aluminum (Al)	28130	250	N.D.	N.D.	N.D.
Antimony (Sb)	560	5	N.D.	N.D.	N.D.
Arsenic (As)	47	5	N.D.	N.D.	N.D.
Barium (Ba)	18750	250	N.D.	N.D.	N.D.
Boron (B)	15000	250	N.D.	N.D.	N.D.
Cadmium (Cd)	17	5	N.D.	N.D.	N.D.
Chromium (III)	460	5	N.D.	N.D.	N.D.
Chromium (VI)	0.053	0.025	N.D.	N.D.	N.D.
Cobalt (Co)	130	10	N.D.	N.D.	N.D.
Copper (Cu)	7700	50	N.D.	N.D.	N.D.
Lead (Pb)	23	5	N.D.	N.D.	N.D.
Manganese (Mn)	15000	250	N.D.	N.D.	N.D.
Mercury (Hg)	94	5	N.D.	N.D.	N.D.
Nickel (Ni)	930	10	N.D.	N.D.	N.D.
Selenium (Se)	460	5	N.D.	N.D.	N.D.
Strontium (Sr)	56000	250	N.D.	N.D.	N.D.
Tin (Sn)	180000	5	N.D.	N.D.	N.D.
Zinc (Zn)	46000	250	N.D.	N.D.	N.D.
Organic tin (Sn) [#]	12	2.5	N.D.	N.D.	N.D.



TEST REPORT

Element	Limit	MDL	P10 Result	P11 Result	P12 Result
Aluminum (Al)	28130	250	N.D.	N.D.	N.D.
Antimony (Sb)	560	5	N.D.	N.D.	N.D.
Arsenic (As)	47	5	N.D.	N.D.	N.D.
Barium (Ba)	18750	250	N.D.	N.D.	N.D.
Boron (B)	15000	250	N.D.	N.D.	N.D.
Cadmium (Cd)	17	5	N.D.	N.D.	N.D.
Chromium (III)	460	5	N.D.	N.D.	N.D.
Chromium (VI)	0.053	0.025	N.D.	N.D.	N.D.
Cobalt (Co)	130	10	N.D.	N.D.	N.D.
Copper (Cu)	7700	50	N.D.	N.D.	N.D.
Lead (Pb)	23	5	N.D.	N.D.	N.D.
Manganese (Mn)	15000	250	N.D.	N.D.	N.D.
Mercury (Hg)	94	5	N.D.	N.D.	N.D.
Nickel (Ni)	930	10	N.D.	N.D.	N.D.
Selenium (Se)	460	5	N.D.	N.D.	N.D.
Strontium (Sr)	56000	250	N.D.	N.D.	N.D.
Tin (Sn)	180000	5	N.D.	N.D.	N.D.
Zinc (Zn)	46000	250	N.D.	N.D.	N.D.
Organic tin (Sn) [#]	12	2.5	N.D.	N.D.	N.D.



TEST REPORT

Element	Limit	MDL	P13 Result	P14 Result	P15 Result
Aluminum (Al)	28130	250	N.D.	N.D.	N.D.
Antimony (Sb)	560	5	N.D.	N.D.	N.D.
Arsenic (As)	47	5	N.D.	N.D.	N.D.
Barium (Ba)	18750	250	N.D.	N.D.	N.D.
Boron (B)	15000	250	N.D.	N.D.	N.D.
Cadmium (Cd)	17	5	N.D.	N.D.	N.D.
Chromium (III)	460	5	N.D.	N.D.	N.D.
Chromium (VI)	0.053	0.025	N.D.	N.D.	N.D.
Cobalt (Co)	130	10	N.D.	N.D.	N.D.
Copper (Cu)	7700	50	N.D.	N.D.	N.D.
Lead (Pb)	23	5	N.D.	N.D.	N.D.
Manganese (Mn)	15000	250	N.D.	N.D.	N.D.
Mercury (Hg)	94	5	N.D.	N.D.	N.D.
Nickel (Ni)	930	10	N.D.	N.D.	N.D.
Selenium (Se)	460	5	N.D.	N.D.	N.D.
Strontium (Sr)	56000	250	N.D.	N.D.	N.D.
Tin (Sn)	180000	5	N.D.	N.D.	N.D.
Zinc (Zn)	46000	250	N.D.	N.D.	N.D.
Organic tin (Sn) [#]	12	2.5	N.D.	N.D.	N.D.



TEST REPORT

Element	Limit	MDL	P16 Result	P17 Result	P18 Result
Aluminum (Al)	28130	250	N.D.	N.D.	N.D.
Antimony (Sb)	560	5	N.D.	N.D.	N.D.
Arsenic (As)	47	5	N.D.	N.D.	N.D.
Barium (Ba)	18750	250	N.D.	N.D.	N.D.
Boron (B)	15000	250	N.D.	N.D.	N.D.
Cadmium (Cd)	17	5	N.D.	N.D.	N.D.
Chromium (III)	460	5	N.D.	N.D.	N.D.
Chromium (VI)	0.053	0.025	N.D.	N.D.	N.D.
Cobalt (Co)	130	10	N.D.	N.D.	N.D.
Copper (Cu)	7700	50	114	N.D.	N.D.
Lead (Pb)	23	5	N.D.	N.D.	N.D.
Manganese (Mn)	15000	250	N.D.	N.D.	N.D.
Mercury (Hg)	94	5	N.D.	N.D.	N.D.
Nickel (Ni)	930	10	N.D.	N.D.	N.D.
Selenium (Se)	460	5	N.D.	N.D.	N.D.
Strontium (Sr)	56000	250	N.D.	N.D.	N.D.
Tin (Sn)	180000	5	N.D.	N.D.	N.D.
Zinc (Zn)	46000	250	N.D.	N.D.	N.D.
Organic tin (Sn) [#]	12	2.5	N.D.	N.D.	N.D.



TEST REPORT

Element	Limit	MDL	P19 Result	P20 Result	P21 Result
Aluminum (Al)	28130	250	N.D.	N.D.	N.D.
Antimony (Sb)	560	5	N.D.	N.D.	N.D.
Arsenic (As)	47	5	N.D.	N.D.	N.D.
Barium (Ba)	18750	250	N.D.	N.D.	N.D.
Boron (B)	15000	250	N.D.	N.D.	N.D.
Cadmium (Cd)	17	5	N.D.	N.D.	N.D.
Chromium (III)	460	5	N.D.	N.D.	N.D.
Chromium (VI)	0.053	0.025	N.D.	N.D.	N.D.
Cobalt (Co)	130	10	N.D.	N.D.	N.D.
Copper (Cu)	7700	50	N.D.	N.D.	111
Lead (Pb)	23	5	N.D.	N.D.	N.D.
Manganese (Mn)	15000	250	N.D.	N.D.	N.D.
Mercury (Hg)	94	5	N.D.	N.D.	N.D.
Nickel (Ni)	930	10	N.D.	N.D.	N.D.
Selenium (Se)	460	5	N.D.	N.D.	N.D.
Strontium (Sr)	56000	250	N.D.	N.D.	N.D.
Tin (Sn)	180000	5	N.D.	N.D.	N.D.
Zinc (Zn)	46000	250	N.D.	N.D.	N.D.
Organic tin (Sn) [#]	12	2.5	N.D.	N.D.	N.D.



TEST REPORT

Element	Limit	MDL	P22 Result	P23 Result	P24 Result
Aluminum (Al)	28130	250	N.D.	N.D.	N.D.
Antimony (Sb)	560	5	N.D.	N.D.	N.D.
Arsenic (As)	47	5	N.D.	N.D.	N.D.
Barium (Ba)	18750	250	N.D.	N.D.	N.D.
Boron (B)	15000	250	N.D.	N.D.	N.D.
Cadmium (Cd)	17	5	N.D.	N.D.	N.D.
Chromium (III)	460	5	N.D.	N.D.	N.D.
Chromium (VI)	0.053	0.025	N.D.	N.D.	N.D.
Cobalt (Co)	130	10	N.D.	N.D.	N.D.
Copper (Cu)	7700	50	N.D.	N.D.	N.D.
Lead (Pb)	23	5	N.D.	N.D.	N.D.
Manganese (Mn)	15000	250	N.D.	N.D.	N.D.
Mercury (Hg)	94	5	N.D.	N.D.	N.D.
Nickel (Ni)	930	10	N.D.	N.D.	N.D.
Selenium (Se)	460	5	N.D.	N.D.	N.D.
Strontium (Sr)	56000	250	N.D.	N.D.	N.D.
Tin (Sn)	180000	5	N.D.	N.D.	N.D.
Zinc (Zn)	46000	250	N.D.	N.D.	N.D.
Organic tin (Sn) [#]	12	2.5	N.D.	N.D.	N.D.



TEST REPORT

Element	Limit	MDL	P25 Result	P26 Result	P27 Result
Aluminum (Al)	28130	250	N.D.	N.D.	N.D.
Antimony (Sb)	560	5	N.D.	N.D.	N.D.
Arsenic (As)	47	5	N.D.	N.D.	N.D.
Barium (Ba)	18750	250	N.D.	N.D.	N.D.
Boron (B)	15000	250	N.D.	N.D.	N.D.
Cadmium (Cd)	17	5	N.D.	N.D.	N.D.
Chromium (III)	460	5	N.D.	N.D.	N.D.
Chromium (VI)	0.053	0.025	N.D.	N.D.	N.D.
Cobalt (Co)	130	10	N.D.	N.D.	N.D.
Copper (Cu)	7700	50	N.D.	N.D.	111
Lead (Pb)	23	5	N.D.	N.D.	N.D.
Manganese (Mn)	15000	250	N.D.	N.D.	N.D.
Mercury (Hg)	94	5	N.D.	N.D.	N.D.
Nickel (Ni)	930	10	N.D.	N.D.	N.D.
Selenium (Se)	460	5	N.D.	N.D.	N.D.
Strontium (Sr)	56000	250	N.D.	N.D.	N.D.
Tin (Sn)	180000	5	N.D.	N.D.	N.D.
Zinc (Zn)	46000	250	N.D.	N.D.	N.D.
Organic tin (Sn) [#]	12	2.5	N.D.	N.D.	N.D.



TEST REPORT

Element	Limit	MDL	P28 Result	P29 Result	P30 Result
Aluminum (Al)	28130	250	N.D.	N.D.	N.D.
Antimony (Sb)	560	5	N.D.	N.D.	N.D.
Arsenic (As)	47	5	N.D.	N.D.	N.D.
Barium (Ba)	18750	250	N.D.	N.D.	N.D.
Boron (B)	15000	250	N.D.	N.D.	N.D.
Cadmium (Cd)	17	5	N.D.	N.D.	N.D.
Chromium (III)	460	5	N.D.	N.D.	N.D.
Chromium (VI)	0.053	0.025	N.D.	N.D.	N.D.
Cobalt (Co)	130	10	N.D.	N.D.	N.D.
Copper (Cu)	7700	50	N.D.	N.D.	N.D.
Lead (Pb)	23	5	N.D.	N.D.	N.D.
Manganese (Mn)	15000	250	N.D.	N.D.	N.D.
Mercury (Hg)	94	5	N.D.	N.D.	N.D.
Nickel (Ni)	930	10	N.D.	N.D.	N.D.
Selenium (Se)	460	5	N.D.	N.D.	N.D.
Strontium (Sr)	56000	250	N.D.	N.D.	N.D.
Tin (Sn)	180000	5	N.D.	N.D.	N.D.
Zinc (Zn)	46000	250	N.D.	N.D.	N.D.
Organic tin (Sn) [#]	12	2.5	N.D.	N.D.	N.D.



TEST REPORT

Element	Limit	MDL	P31 Result
Aluminum (Al)	28130	250	N.D.
Antimony (Sb)	560	5	N.D.
Arsenic (As)	47	5	N.D.
Barium (Ba)	18750	250	N.D.
Boron (B)	15000	250	N.D.
Cadmium (Cd)	17	5	N.D.
Chromium (III)	460	5	N.D.
Chromium (VI)	0.053	0.025	N.D.
Cobalt (Co)	130	10	N.D.
Copper (Cu)	7700	50	N.D.
Lead (Pb)	23	5	N.D.
Manganese (Mn)	15000	250	N.D.
Mercury (Hg)	94	5	N.D.
Nickel (Ni)	930	10	N.D.
Selenium (Se)	460	5	N.D.
Strontium (Sr)	56000	250	N.D.
Tin (Sn)	180000	5	N.D.
Zinc (Zn)	46000	250	N.D.
Organic tin (Sn) [#]	12	2.5	N.D.

Remarks:

(1) Unit: mg/kg = ppm = 0.0001%;

(2) # = the reported value is 2.44 times the maximum potential content of soluble tin. If the results exceed the limit, further determination of organ tin by GC-MS is needed;

(3) MDL= Method Detection Limit;

(4) N.D. = Not Detected (< MDL).



TEST REPORT

4) Labeling Requirement

Test Requested: Labeling requirement including Washing/Cleaning instruction, CE mark, importer /manufacturer name and address, product identification as specified in Directive 2009/48/EC Safety of toys

Labeling Content	Observation Result	Location
Washing/Cleaning Instruction	Not Applicable	-
CE Mark (height >5mm)	Present, Correct form	Packaging
Importer's Name & Address	Not Present	-
Manufacturer's Name & Address	Present	Packaging
Product ID	Present	Packaging



TEST REPORT

TEST SAMPLE



Sample photo(Photo of P1)



Sample photo(Photo of P1)



Photo of Product



Photo of P2



Photo of Product




Photo of P3



Photo of Product




Photo of P4



TEST REPORT



Photo of Product




Photo of P5, P6



Photo of Product



Photo of P7



Photo of Product




Photo of P8, P9



Photo of Product



Photo of P10



Photo of Product




Photo of P11



Photo of Product



Photo of P12



TEST REPORT



Photo of Product



Photo of P13



Photo of Product



Photo of P14



TEST REPORT



Photo of Product




Photo of P15



Photo of Product



Photo of P16





Photo of Product



Photo of P17



Photo of Product



Photo of P18

TEST REPORT



Photo of Product



Photo of P19



Photo of Product



Photo of P20





Photo of Product



Photo of P21



Photo of Product



Photo of P22



TEST REPORT




Photo of Product




Photo of P23




Photo of Product




Photo of P24



TEST REPORT




Photo of Product




Photo of P25, P26



Photo of Product




Photo of P27, P28, P29



TEST REPORT



Photo of Product




Photo of P30



Photo of Product




Photo of P31

TEST REPORT




Sample photo



Sample photo



Sample photo



Sample photo




TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo



TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo

TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo



TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo



TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo




TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo

TEST REPORT



Sample photo



Sample photo



Sample photo




Sample photo



TEST REPORT




Sample photo



Sample photo



Sample photo



Sample photo



TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo



TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo



TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo



TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo



TEST REPORT




Sample photo



Sample photo



Sample photo



Sample photo



TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo



TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo



TEST REPORT



Sample photo

Sample photo



Sample photo

Sample photo



TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo



TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo



TEST REPORT



Sample photo

Sample photo



Sample photo

Sample photo



TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo



TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo



TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo





Sample photo



Sample photo



Sample photo



Sample photo



TEST REPORT



Sample photo



Sample photo



Sample photo



Sample photo



TEST REPORT



Sample photo

Sample photo

Product name: Silicone tableware
 Recommended age: Age 0+
 Batch No: SHQ-20250925
 Quantity: 1Set
 Date of manufacture: Sep., 2025
 Made in China
 NINGBO SHENGHEQUAN SILICONE TECHNOLOGY CO., LTD
 NO. 2 SHENJIA EAST DISTRICT, WANSHOUSI VILLAGE,
 ZHOUXIANG TOWN, CIXI CITY NINGBO CITY, ZHEJIANG
 PROVINCE,



Design drawings provided by suppliers

*****END OF REPORT*****

