

TEST REPORT

Report No.: DPHTL2601300003E

Issued Date: Jan 30, 2026

Page 1 of 17

Applicant: Guangzhou S-up kids Toys Co.,LTD

Address: Room 302, Building 55, No. 200, East Fangcun Avenue, Liwan District, Guangzhou

The following sample(s) and sample information was/were submitted and identified by client as:

Sample Name: Magneitic Building Tiles

Model No.: Refer to Attachment Information Table

Supplier: Zhejiang Chuangrun Toys Co Ltd

Labeled Age Grade: 3+

Laboratory evaluated Age Grade: 3 years and up

Tested Age Grade: 3 years and up

Applicant's requests Age Grade: 3 years and up

Manufacturer: Zhejiang Chuangrun Toys Co Ltd

Country of Origin: China

Brand: Onshine

Receiving Date: Jan 4, 2026; Jan 20, 2026

Test Period: From Jan 4, 2026 to Jan 26, 2026

Test Summary:

#	Test Item(s)	Conclusion
1	Mechanical and physical properties - AS/NZS ISO 8124-1:2023	Pass
2	Flammability - AS/NZS ISO 8124-2:2023	Pass
3	Migration of Certain Elements analysis - AS/NZS ISO 8124-3:2021 Amd 1:2023	Pass

*****Please refer to the following page for detailed results*****

Authorized Signatory

Mark

(Technical Director)



TEST REPORT

Report No.: DPHTL2601300003E

Issued Date:Jan 30,2026

Page 2 of 17

Attachment Information Table

Model No.	6400, 6790, 5939, 5809, 0606, 0613, 6745, 6752, 5786, 6714, 5793, 6707, 5946, 5953, 6776, 6783, 6660, 6653, 6646, 6363, 6349, 4123, 4130, 4086, 4093, 3300, 7833, 7840, 7857, 3638, 4116, 4130A, 4109, 4123A, 3300A, 4086A, 9982, 9999, 10001, 10018, 1443, 1450, 2877, 2884, 1481, 1498, 1504, 1511, 1528, 1535, 1542, 1559, 1566, 1573, 1580, 1597, 1603, 1610, 1627, 1634, 1641, 1726, 1733, 1719, 1702, 1696, 1689, 1672, 1658, 1665
-----------	--

TEST REPORT

Report No.: DPHTL2601300003E

Issued Date: Jan 30, 2026

Page 3 of 17

Result:

1. Mechanical and physical properties - AS/NZS ISO 8124-1:2023

Clause	Parameter	Results
4	Requirements	
4.1	General requirements	P
4.1.1	Normal use	P
4.1.2	Location of warnings	P
4.2	Reasonably foreseeable abuse	P
4.3	Material	P
4.4	Small parts	P
4.5	Shape, size and strength of certain toys	NA
4.5.1	Squeeze toys, rattles, fasteners and certain other toys and components of toys	NA
4.5.2	Small balls	NA
4.5.3	Pompoms	NA
4.5.4	Preschool play figures	NA
4.5.5	Toy pacifier	NA
4.5.6	Balloon	NA
4.5.7	Marbles	NA
4.5.8	Hemispheric-shaped toys	NA
4.6	Edges	P
4.7	Points	P
4.8	Projections	NA
4.9	Metal wires and rods	NA
4.10	Plastic film or plastic bags in Packaging and in toys	P
4.11	Cords	NA
4.11.1	General	NA
4.11.2	Cords in toys intended for children under 18 months	NA
4.11.3	Cords in toys intended for children 18 months and over but under 36 months	NA
4.11.4	Fixed loops and nooses intended for children under 36 months	NA
4.11.5	Cords on pull toys	NA
4.11.6	Electrical cables	NA
4.11.7	Diameter of certain cords intended for children under 36 months	NA
4.11.8	Self-retracting cords intended for children under 36 months	NA
4.11.10	Cords on toy bags	NA
4.11.9	Toys attached to or intended to be strung across, or otherwise attached to, a cradle, cot, perambulator or carriage	NA
4.11.11	Cords, strings and lines for flying toys	NA

TEST REPORT

Report No.: DPHTL260130003E

Issued Date: Jan 30, 2026

Page 4 of 17

Clause	Parameter	Results
4.12	Folding mechanisms	NA
4.13	Holes, Clearance and Accessibility of Mechanisms	NA
4.14	Spring	NA
4.15	Stability and overload requirements	NA
4.16	Enclosures	NA
4.17	Items that cover the face and simulated protective equipment	NA
4.18	Projectile toys	NA
4.18.1	General	NA
4.18.2	Projectile toys with stored energy	NA
4.18.3	Chains or belts in ride-on toys	NA
4.18.4	Projectile toys without stored energy	NA
4.19	Rotors and propellers	NA
4.20	Aquatic toys	NA
4.21	Braking	NA
4.22	Toy bicycles	NA
4.23	Speed limitation of electrically driven ride-on toys	NA
4.24	Toys containing a heat source ☆	NA
4.25	Liquid-filled toys	NA
4.26	Mouth-actuated toys	NA
4.27	Toy roller skates, toy inline skates and toy skateboards	NA
4.28	Percussion caps specifically designed for use in toys	NA
4.29	Acoustic requirements	NA
4.30	Toy scooters	NA
4.31	Magnets and magnetic components	P
4.31.1	General	P
4.31.2	Magnetic or electrical experimental sets intended for children 8 years and over	NA
4.31.3	All other toys with magnets and magnetic components	P
4.32	Yo-yo balls	NA
4.33	Straps intended to be worn fully or partially around the neck	NA
4.34	Sledges and toboggans with cords for pulling	NA
4.35	Jaw entrapment in handles and steering wheels	NA
4.36	Assembly ☆	NA
4.37	Functional toys ☆	NA
4.38	Toys intended to come into contact with food ☆	NA
4.39	Inflatable toys ☆	NA
Annex B	Safety-labelling guidelines and manufacturer's markings	
B.1	General	P

TEST REPORT

Report No.: DPHTL2601300003E

Issued Date: Jan 30, 2026

Page 5 of 17

Clause	Parameter	Results
B.2	Safety-labelling guidelines	P
B.2.1	Good practice for visibility and legibility	P
B.2.2	Age grading	P
B.2.3	Toys that are small parts, toys containing small parts and toys with removable small part components	P
B.2.4	Balloons	NA
B.2.5	Small balls and marbles	NA
B.2.6	Aquatic toys	NA
B.2.7	Toys intended to come into contact with food	NA
B.2.8	Toys intended to be assembled by an adult	NA
B.2.9	Toys intended to be strung across a cradle, cot, perambulator or carriage	NA
B.2.10	Simulated protective equipment	NA
B.2.11	Toys with functional sharp edges and functional sharp points	NA
B.2.12	Functional toys	NA
B.2.13	Toy roller skates, toy inline skates and toy skateboards	NA
B.2.14	Toy kites	NA
B.2.15	Toy bicycles	NA
B.2.16	Percussion caps	NA
B.2.17	Toys which produce high peak sound pressure levels	NA
B.2.18	Toy scooters	NA
B.2.19	Magnetic or electrical experimental sets for children 8 years and over	NA
B.2.20	Toys with electrical cables exceeding 300 mm in length	NA
B.2.21	Cords in toys intended for children 18 months and over but under 36 months	NA
B.2.22	Sledges and toboggans with cords for pulling	NA
B.2.23	Toys intended to be attached to a cradle, cot, perambulator or carriage or intended to be suspended over a cot from a wall or ceiling	NA
B.2.24	Flying toys	NA
B.3	Instructional literature	NA
B.4	Manufacturer's markings	P
Annex D	Toy gun marking	NA

Remark P = Pass; NA = Not applicable; NC = Not conducted; F = Fail.

Clauses 4.1.2/4.4/4.31/ and Clauses Annex B are the test results of the resubmitted sample

2. Flammability - AS/NZS ISO 8124-2:2023

Clause	Parameter	Results
4	Requirements	
4.1	General	P
4.2	Toys to be worn on the head	NA

TEST REPORT

Report No.: DPHTL2601300003E

Issued Date: Jan 30, 2026

Page 6 of 17

Clause	Parameter	Results
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

Remark P = Pass; NA = Not applicable; NC = Not conducted; F = Fail.

3. Migration of Certain Elements analysis - AS/NZS ISO 8124-3:2021 Amd 1:2023

AS/NZS ISO 8124.3:2021 Amd 1:2023, determined by Inductively Coupled Plasma-Optical Emission Spectrometry (ICP-OES)

Category: Any toy, except modeling clay and putty, finger paint, and slime

Test Item(s)	Result					Limit (mg/kg)	MDL (mg/kg)
	1	2	3	4	5		
1 Soluble Lead (Pb)	N.D.	N.D.	N.D.	N.D.	N.D.	90	5
2 Soluble Barium (Ba)	N.D.	N.D.	N.D.	N.D.	N.D.	1000	5
3 Soluble Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	75	5
4 Soluble Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	N.D.	60	5
5 Soluble Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	60	5
6 Soluble Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	N.D.	60	5
7 Soluble Selenium (Se)	N.D.	N.D.	N.D.	N.D.	N.D.	500	5
8 Soluble Arsenic (As)	N.D.	N.D.	N.D.	N.D.	N.D.	25	2
Conclusion	Pass	Pass	Pass	Pass	Pass	-	-

Remark ND = Not detected (less than report limit);
mg/kg = ppm = part per million.

☆ = This item/clause is not included in CNAS Accreditation scope

TEST REPORT

Report No.: DPHTL2601300003E

Issued Date:Jan 30,2026

Page 7 of 17

Material List:

Material #	Sample Description / Position
1	Multicolor coating,manual
2	Transparent orange plastic,blocks
3	Transparent blue plastic,blocks
4	Transparent yellow plastic,blocks
5	Transparent pink plastic,blocks

Remark The test material point is specified by client,the chemical test conclusions in the report only apply to the test material.

Photo(s):




TEST REPORT

Report No.: DPHTL2601300003E

Issued Date: Jan 30, 2026

Page 8 of 17



TEST REPORT

Report No.: DPHTL2601300003E

Issued Date:Jan 30,2026

Page 9 of 17




TEST REPORT

Report No.: DPHTL2601300003E

Issued Date:Jan 30,2026

Page 10 of 17




TEST REPORT

Report No.: DPHTL2601300003E

Issued Date:Jan 30,2026

Page 11 of 17



TEST REPORT

Report No.: DPHTL2601300003E

Issued Date:Jan 30,2026

Page 12 of 17




TEST REPORT

Report No.: DPHTL2601300003E

Issued Date: Jan 30, 2026

Page 13 of 17



TEST REPORT

Report No.: DPHTL2601300003E

Issued Date: Jan 30, 2026

Page 14 of 17



TEST REPORT

Report No.: DPHTL2601300003E

Issued Date:Jan 30,2026

Page 15 of 17



Test Sample Photo



TEST REPORT

Report No.: DPHTL2601300003E

Issued Date:Jan 30,2026

Page 16 of 17



Resubmit for inspection

<<<<<< **END OF REPORT** >>>>>>

Statement

- 1 All samples and goods are accepted by the Guangzhou Depuhua Test Services Co., Ltd. (the "DPHTL") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").
- 2 Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court order.
- 3 Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 4 The information as listed on the first page of this test report was all provided by the client except the sample from, date received, test period, test results and test conclusion. The client shall be responsible for the representativeness of sample and authenticity of materials, for which DPHTL shall bear no responsibilities.
- 5 The judgment method of determining the conformity in this test report is according to the measured value without considering the risk caused by uncertainty, unless otherwise clearly stipulated in special agreement, standard or specification. The client shall assume the risk caused by the judgment method, and DPHTL shall not bear related responsibilities.
- 6 The test report is effective only with both signature and specialized stamp. Without written approval of DPHTL, this report can't be reproduced in full or in part.
- 7 The Report refers only to the tested sample (Sample information is provided by customer) and does not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.
- 8 This test data is only responsible for the tested sample. The data and results provided by the report without CMA accreditation are not to prove to the society, and DPHTL is not responsible for any economic and legal responsibility for the use of the test data, the direct or indirect losses resulting from the use of the test and all legal consequences.
- 9 In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 10 The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 11 Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 12 Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of 6 years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.