



## Test Report

Report No : DST2613030154CR

Date: Apr.07,2026

Page 1 of 38

Applicant : Jiangxi Runfeng Cultural and Creative Co.. Ltd.  
Address : CN, Jiangxi Province, Fuzhou City, Linchuan District, Fuzhou High-tech Industrial Development Zone, Fuzhou City, Jiangxi Province, east of Jinpeng Avenue and north of Wei6 Road, 4th Floor, Building 4, Jiangxi Gaochao Industry, 344000  
Manufacturer : Jiangxi Runfeng Cultural and Creative Co.. Ltd.  
Address : CN, Jiangxi Province, Fuzhou City, Linchuan District, Fuzhou High-tech Industrial Development Zone, Fuzhou City, Jiangxi Province, east of Jinpeng Avenue and north of Wei6 Road, 4th Floor, Building 4, Jiangxi Gaochao Industry, 344000

The following sample(s) was /were submitted and identified on behalf of the clients as :

Sample Name : Plush Toys  
Sample Description : Stuffed Animals Toy  
Model No. : ZQKTQESZS20,ZQKTQEQHS20,ZQBENGG23,ZQSRKPBL34,ZQXXGJ13,  
ZQTNXLKL25,ZQZSYNM33,ZQSLTMHL13,ZQSLTMXZ13,ZQXWCBLB12,  
ZQXWCFG12,ZQXWCTS12,ZQZFLBG32,ZQXDWHL28,ZQXDWKL28,ZQXDWXL28,  
ZQXDWEY28,ZQHDTMJY21,ZQHDTMHM21,ZQHDTMZY21  
Brand/Trade mark : Jooki  
Labeled Age Grading : Over 3 years old  
Test Age Grading : Over 3 years old  
Age Group Applied in Testing : Over 3 years old  
Manufacture Date : Mar.01,2026  
Sample Received Date : Mar.30,2026  
Testing Period : Mar.30,2026 to Apr.07,2026  
Test Requested : Test samples according to customer requirements  
Test Method : Please refer to next page(s).  
Test Result : Please refer to next page(s).  
CPSC Lab ID : 1779



Scan QR code  
verification of authenticity

Charles Zhao  
Technical director

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com  
Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China



RESULT SUMMARY:

Test Requested		Conclusion(s)
1	ASTM F963-23 Standard Consumer Safety Specification for Toy Safety	PASS
1.1	Physical & Mechanical Test	PASS
1.2	Section 4.2 - Flammability Test	PASS
1.2.1	16 CFR 1500.44 Method for determining extremely flammable and flammable solids.	PASS
1.2.2	16 CFR 1610 Standard for Flammability of Clothing Textiles	NA
1.3	Section 4.3 - Toxicology	PASS
1.3.1	Section4.3.5.1(1) - Total Lead Content in Surface Coating	NA
1.3.2	Section4.3.5.2(2)(a) - Total Lead Content in Substrate	PASS
1.3.3	Section 4.3.5.1(2) - Soluble Heavy Metals in Surface Coating	NA
1.3.4	Section 4.3.5.2(2)(b) - Soluble Heavy Metals in Substrate	PASS
1.3.5	Section 4.3.5.2 (2)(d)(e) - extraction cadmium for small part metallic toy, be compliant by total cadmium screening test	PASS
1.3.6	Section 4.3.8 - Phthalates	PASS
1.4	Section 4.25-Battery-Operated Toys	NA
1.4.1	Section 4.25.9-Battery-powered Ride-on Toys	NA
1.4.2	Section 4.25.10-Toys that Contain Secondary Cells or Secondary Batteries	NA
2	CPSA Section 14(a)(5)Tracking Labels for Children's Products (15 USC §2063(a)(5)(CPSA))	PASS
3	16 CFR 1500.48-Sharp Point, 16 CFR 1500.49-Sharp Edge, 16 CFR 1501 Small part rule	PASS
4	16 CFR 1500.50.51.52.53 Simulating use and abuse of toys	PASS
5	16 CFR Part 1303 Ban of Lead - containing paint and certain consumer products bearing lead-containing paint	NA
6	Total Cadmium – Washington CSPA-RCW 70A.430.020	PASS
7	Total Lead - California Proposition 65	PASS
8	Total Cadmium - California Proposition 65	PASS
9	Phthalates - California Proposition 65	PASS
10	CPSIA Sec.101.(a) - Total Lead in substrate materials CPSIA Sec.101.(f) - Total Lead in paint or surface coating	PASS
11	CPSIA Sec.108 - Phthalates	PASS
12	16 CFR Part 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	PASS
13	CPSIA Section 103-Tracking Labels For Children's Products	PASS

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.



**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 3 of 38

Sample Description:

No.	Description
1.	Yellow plush (body-A)
2.	Brown plush (body-A)
3.	White plush (body-A)
4.	Dark gray plush (body-A)
5.	Mint green plush (body-A)
6.	Grey plush (body-B)
7.	Blue plush (body-B)
8.	Pink plush (body-B)
9.	Light green plush (body-B)
10.	Purple plush (body-C)
11.	Light brown plush (body-C)
12.	Blue plush (body-C)
13.	Dark brown plush (body-D)
14.	Pink plush (body-D)
15.	Yellow plush (body-D)
16.	White plush (body-D)
17.	Brown plush (body-D)
18.	Brown plastic (Eye-D)
19.	Black plastic (nose-D)
20.	Silver metal (button-D)

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: [dst@dst-test.com](mailto:dst@dst-test.com) <http://www.dst-test.com>

Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China



1 ASTM F963-23 Standard Consumer Safety Specification for Toy Safety

1.1 Physical & Mechanical Test

Section	Test Items	Result			
		A	B	C	D
4.1	Material quality (visual check on cleanliness)	PASS	PASS	PASS	PASS
4.2	Flammability Test	PASS (See Result Page)	PASS (See Result Page)	PASS (See Result Page)	PASS (See Result Page)
4.3	Toxicology	PASS	PASS	PASS	PASS
4.3.5	Heavy Elements	PASS	PASS	PASS	PASS
4.3.5.1	Paint and Similar Surface-Coating Materials	NA	NA	NA	NA
4.3.5.2	Toy Substrate Materials	PASS (See Result Page)	PASS (See Result Page)	PASS (See Result Page)	PASS (See Result Page)
4.3.6	Cosmetics, Liquids, Pastes, Putties, Gels, Powders, and Items of Avian Feather Origin	NA	NA	NA	NA
4.3.7	Stuffing Materials	PASS	PASS	PASS	PASS
4.4	Electrical/Thermal Energy	NA	NA	NA	NA
4.5	Sound-Producing Toys	NA	NA	NA	NA
4.6	Small objects	PASS	PASS	PASS	PASS
4.6.1	Toys that are intended for children under 36 months of age	NA	NA	NA	NA
4.6.2	Mouth-actuated toys	NA	NA	NA	NA
4.6.3	Toys and games that are intended for use by children who are at least three years old but less than six years of age	PASS	PASS	PASS	PASS
4.7	Accessible edges	PASS	PASS	PASS	PASS
4.8	Projections	NA	NA	NA	NA
4.9	Accessible points	PASS	PASS	PASS	PASS
4.10	Wires or rods	NA	NA	NA	NA
4.11	Nails and fasteners	NA	NA	NA	NA
4.12	Plastic film	NA	NA	NA	NA
4.13	Folding mechanisms and hinges	NA	NA	NA	NA

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 5 of 38

Section	Test Items	Result			
		A	B	C	D
4.14	Cords, straps and elastics	NA	NA	NA	NA
4.15	Stability and Over-Load Requirements	NA	NA	NA	NA
4.16	Confined spaces	NA	NA	NA	NA
4.17	Wheels, tires, and axles	NA	NA	NA	NA
4.18	Holes, clearance, and accessibility of mechanisms	PASS	PASS	PASS	PASS
4.19	Simulated protective devices	NA	NA	NA	NA
4.20	Pacifiers	NA	NA	NA	NA
4.21	Projectile toys	NA	NA	NA	NA
4.22	Teether and teething toys	NA	NA	NA	NA
4.23	Rattles	NA	NA	NA	NA
4.24	Squeeze toys	NA	NA	NA	NA
4.25	Battery-Operated Toys	NA	NA	NA	NA
4.25.1	Battery information	NA	NA	NA	NA
4.25.2	Maximum allowable direct current potential	NA	NA	NA	NA
4.25.3	Design for battery-operated toys	NA	NA	NA	NA
4.25.4	Battery Accessibility	NA	NA	NA	NA
4.25.5	Isolation of batteries of different types or capacities	NA	NA	NA	NA
4.25.6	The surfaces of the batteries shall not achieve temperatures exceeding 71 °C	NA	NA	NA	NA
4.25.7	Temperature of battery surface or combustion hazard after normal use and abuse test	NA	NA	NA	NA
4.25.8	Instruction requirement	NA	NA	NA	NA
4.25.9	Battery-powered Ride-on Toys	NA	NA	NA	NA
4.25.10	Toys that Contain Secondary Cells or Secondary Batteries	NA	NA	NA	NA
4.26	Toys intended to be attached to a crib or playpen	NA	NA	NA	NA
4.27	Stuffed and beanbag-type toys	PASS	PASS	PASS	PASS
4.28	Stroller and carriage toys	NA	NA	NA	NA
4.29	Art materials	NA	NA	NA	NA
4.30	Toy gun marking	NA	NA	NA	NA
4.31	Balloons	NA	NA	NA	NA
4.32	Certain toys with nearly spherical ends	NA	NA	NA	NA

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com  
Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China

**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 6 of 38

Section	Test Items	Result			
		A	B	C	D
4.33	Marbles	NA	NA	NA	NA
4.34	Balls	NA	NA	NA	NA
4.35	Pompoms	NA	NA	NA	NA
4.36	Hemispheric-Shaped Objects	NA	NA	NA	NA
4.37	Yo Yo Elastic Tether Toys	NA	NA	NA	NA
4.38	Magnets	NA	NA	NA	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA	NA	NA	NA
4.40	Expanding materials	NA	NA	NA	NA
4.41	Toy Chests	NA	NA	NA	NA
5	Labeling requirements	PASS	PASS	PASS	PASS
5.1	Federal government requirements	PASS	PASS	PASS	PASS
5.2	Age grading labeling Remark :The toy or package should indicate the minimum age for intended use.	PASS	PASS	PASS	PASS
5.3	Safety Labeling Requirements	PASS	PASS	PASS	PASS
5.4	Aquatic Toys	NA	NA	NA	NA
5.5	Crib and Playpen Toys	NA	NA	NA	NA
5.6	Mobiles	NA	NA	NA	NA
5.7	Stroller and Carriage Toys	NA	NA	NA	NA
5.8	Toys Intended to be Assembled by an Adult	NA	NA	NA	NA
5.9	Simulated Protective Devices	NA	NA	NA	NA
5.10	Toys with Functional Sharp Edges or Points	NA	NA	NA	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	PASS	PASS	PASS	PASS
5.12	Art Materials	NA	NA	NA	NA
5.13	Electric Toys	NA	NA	NA	NA
5.14	Battery-Operated Toys	NA	NA	NA	NA
5.15	Promotional Materials	PASS	PASS	PASS	PASS
5.16	Magnets	NA	NA	NA	NA
6	Instructional literature	PASS	PASS	PASS	PASS
6.1	Definition and description	PASS	PASS	PASS	PASS
6.2	Crib and playpen toys	NA	NA	NA	NA

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com

Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China

**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 7 of 38

Section	Test Items	Result			
		A	B	C	D
6.3	Mobiles	NA	NA	NA	NA
6.4	Toys intended to be assembled by an adult	NA	NA	NA	NA
6.5	Battery-operated toys	NA	NA	NA	NA
6.6	Battery powered ride-on toys	NA	NA	NA	NA
6.7	Toys in contact with food	NA	NA	NA	NA
6.8	Toy Chests	NA	NA	NA	NA
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies) shall direct caregivers to retain the tool for future use, to store it where the child cannot access it, and state that the tool is not a toy.	NA	NA	NA	NA
7	Producer's markings	PASS	PASS	PASS	PASS
7.1	Name of producer/distributor and Address (toy & package)	PASS	PASS	PASS	PASS
7.2	Battery-Powered Ride-on Toys	NA	NA	NA	NA
7.3	Toy Chests	NA	NA	NA	NA
8	Test Methods	PASS	PASS	PASS	PASS
8.5	Normal use testing	PASS	PASS	PASS	PASS
8.5.1	Washable test	NA	NA	NA	NA
8.6	Abuse Testing	PASS	PASS	PASS	PASS
8.7	Impact test	PASS	PASS	PASS	PASS
8.8	Torque test	PASS	PASS	PASS	PASS
8.9	Tension test	PASS	PASS	PASS	PASS
8.10	Compression test	NA	NA	NA	NA

Note : NA = Not Applicable, NC= Not Conducted as per client's request.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com

Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China



**1.2 ASTM F963-23 Section 4.2, Flammability Test**

**1.2.1 16 CFR 1500.44, Method for determining extremely flammable and flammable solids.**

Sample	Burn rate (inch/sec.)	Limit (inch/sec.)
A	IBE	0.10
B	0.02	0.10
C	0.03	0.10
D	0.03	0.10

Note:

1. DNI = Did not ignite.
2. NA = Not Applicable
3. IBE = Ignited but self-extinguished before burn-rate could be determined.
4. All styles of the submitted toy samples (and its accessories) was/were tested, the above result only showed the most severe burn rate of the samples.
5. The burn rate of a composite product ( that is solid/fabric combined)exceeds 0.1 in./s in part due to the presence of a permanently attached fabric, then a secondary test to fabric separately was conducted in accordance the standard

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.



1.2.2 Flammability - 16 CFR 1610 Standard for Flammability of Clothing Textiles

Sample	Test Results	Conclusion
A&B&C&D	NA	/

Remarks:

Series	Textile Type	Performance Requirements
1 level	No fluff, tufting or other surface fuzz	Flame spread time $\geq$ 3.5S
	Has fluff, tufted or other types of surface raising	Flame spread time $>$ 7S
2 level	Has fluff, tufted or other types of surface raising	4s $\leq$ Flame spread time $\leq$ 7S
3 level	No fluff, tufting or other surface fuzz	Flame spread time $<$ 3.5S
	Has fluff, tufted or other types of surface raising	Flame spread time $<$ 4.0S And accompanied by matrix burning

Note:

1. DNI = Did not ignite.
2. NA = Not Applicable
3. All styles of the submitted toy samples (and its accessories) was/were tested, the above result only showed the most severe burn rate of the samples.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.



**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 10 of 38

**1.3 Toxicology-ASTM F963-23 Section 4.3**

**1.3.1 Total Lead Content in Surface Coating - ASTM F963-23 Section 4.3.5.1(1)**

Test method: ASTM F963-23 Section 8.3.1

Test Item	Unit	Result	--	--	RL	Limit
		--	--	--		
Lead (Pb)	mg/kg	NA	--	--	10	90
Conclusion	--	NA	--	--	--	--

- Note:
- 1.mg/kg=milligram per kilogram
  - 2.N.D.=No Detection(<RL)
  - 3.RL =Reporting Limit
  - 4.NA = Not Applicable

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com

Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China



1.3.2 Total Lead Content in Substrate - ASTM F963-23 Section4.3.5.2(2)(a)

Test method: ASTM F963-23 Section 8.3

Test Item	Unit	Result	Result	Result	RL	Limit
		1+2+3(Mix)	4+5+6(Mix)	7+8+9(Mix)		
Lead (Pb)	mg/kg	N.D.	N.D.	N.D.	10	100
Conclusion	--	PASS	PASS	PASS	--	--

Test Item	Unit	Result	Result	Result	RL	Limit
		10+11+12(Mix)	13+14+15(Mix)	16+17(Mix)		
Lead (Pb)	mg/kg	N.D.	N.D.	N.D.	10	100
Conclusion	--	PASS	PASS	PASS	--	--

Test Item	Unit	Result	Result	--	RL	Limit
		18+19(Mix)	20	--		
Lead (Pb)	mg/kg	N.D.	46	--	10	100
Conclusion	--	PASS	PASS	--	--	--

- Note:
- 1.mg/kg=milligram per kilogram
  - 2.N.D.=No Detection(<RL)
  - 3.RL =Reporting Limit

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.



1.3.3 Soluble Heavy Metals Content in surface coating – ASTM F963-23 Section 4.3.5.1(2)

Test Method: ASTM F963-23, Section 8.3.2

Test Item(s)	Unit	Result	--	--	RL	Limit
		NA	--	--		
Soluble Arsenic (As)	mg/kg	NA	--	--	2.5	25
Soluble Barium (Ba)	mg/kg	NA	--	--	5	1000
Soluble Cadmium (Cd)	mg/kg	NA	--	--	5	75
Soluble Chromium (Cr)	mg/kg	NA	--	--	5	60
Soluble Mercury (Hg)	mg/kg	NA	--	--	5	60
Soluble Lead (Pb)	mg/kg	NA	--	--	5	90
Soluble Antimony (Sb)	mg/kg	NA	--	--	5	60
Soluble Selenium (Se)	mg/kg	NA	--	--	5	500
Conclusion	--	NA	--	--	--	--

- Note:
- 1.mg/kg=milligram per kilogram
  - 2.N.D.=No Detection(<RL)
  - 3.RL =Reporting Limit
  - 4.NA = Not Applicable

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com

Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China



1.3.4 Soluble Heavy Metals Content in Substrate - ASTM F963-23 Section 4.3.5.2(2)(b)

Test Method: ASTM F963-23, Section 8.3.5 (Excluding 8.3.5.5(3))

Test Item(s)	Unit	Result	Result	Result	Result	RL	Limit
		1	2	3	4		
Soluble Arsenic (As)	mg/kg	N.D.	N.D.	N.D.	N.D.	2.5	25
Soluble Barium (Ba)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	1000
Soluble Cadmium (Cd)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	75
Soluble Chromium (Cr)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	60
Soluble Mercury (Hg)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	60
Soluble Lead (Pb)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	90
Soluble Antimony (Sb)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	60
Soluble Selenium (Se)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	500
Conclusion	--	PASS	PASS	PASS	PASS	--	--

Test Item(s)	Unit	Result	Result	Result	Result	RL	Limit
		5	6	7	8		
Soluble Arsenic (As)	mg/kg	N.D.	N.D.	N.D.	N.D.	2.5	25
Soluble Barium (Ba)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	1000
Soluble Cadmium (Cd)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	75
Soluble Chromium (Cr)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	60
Soluble Mercury (Hg)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	60
Soluble Lead (Pb)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	90
Soluble Antimony (Sb)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	60
Soluble Selenium (Se)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	500
Conclusion	--	PASS	PASS	PASS	PASS	--	--

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 14 of 38

Test Item(s)	Unit	Result	Result	Result	Result	RL	Limit
		9	10	11	12		
Soluble Arsenic (As)	mg/kg	N.D.	N.D.	N.D.	N.D.	2.5	25
Soluble Barium (Ba)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	1000
Soluble Cadmium (Cd)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	75
Soluble Chromium (Cr)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	60
Soluble Mercury (Hg)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	60
Soluble Lead (Pb)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	90
Soluble Antimony (Sb)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	60
Soluble Selenium (Se)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	500
Conclusion	--	PASS	PASS	PASS	PASS	--	--

Test Item(s)	Unit	Result	Result	Result	Result	RL	Limit
		13	14	15	16		
Soluble Arsenic (As)	mg/kg	N.D.	N.D.	N.D.	N.D.	2.5	25
Soluble Barium (Ba)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	1000
Soluble Cadmium (Cd)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	75
Soluble Chromium (Cr)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	60
Soluble Mercury (Hg)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	60
Soluble Lead (Pb)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	90
Soluble Antimony (Sb)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	60
Soluble Selenium (Se)	mg/kg	N.D.	N.D.	N.D.	N.D.	5	500
Conclusion	--	PASS	PASS	PASS	PASS	--	--

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com

Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China

**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 15 of 38

Test Item(s)	Unit	Result	Result	Result	--	RL	Limit
		17	18	19	--		
Soluble Arsenic (As)	mg/kg	N.D.	N.D.	N.D.	--	2.5	25
Soluble Barium (Ba)	mg/kg	N.D.	N.D.	N.D.	--	5	1000
Soluble Cadmium (Cd)	mg/kg	N.D.	N.D.	N.D.	--	5	75
Soluble Chromium (Cr)	mg/kg	N.D.	N.D.	N.D.	--	5	60
Soluble Mercury (Hg)	mg/kg	N.D.	N.D.	N.D.	--	5	60
Soluble Lead (Pb)	mg/kg	N.D.	N.D.	N.D.	--	5	90
Soluble Antimony (Sb)	mg/kg	N.D.	N.D.	N.D.	--	5	60
Soluble Selenium (Se)	mg/kg	N.D.	N.D.	N.D.	--	5	500
Conclusion	--	PASS	PASS	PASS	--	--	--

- Note:
- 1.mg/kg=milligram per kilogram
  - 2.N.D.=No Detection(<RL)
  - 3.RL =Reporting Limit

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: [dst@dst-test.com](mailto:dst@dst-test.com) <http://www.dst-test.com>

Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China



**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 16 of 38

**1.3.5 ASTM F963-23 Section 4.3.5.2 (2)(d)(e) - extraction cadmium for small part metallic toy, be compliant by total cadmium screening test**

Test method: ASTM F963-23 Section 8.3.1

Test Item	Unit	Result	--	RL	Limit
		20	--		
Total Cadmium(Cd)	mg/kg	26	--	10	75
Conclusion	--	PASS	--	--	--

- Note:
- 1.mg/kg=milligram per kilogram
  - 2.N.D.=No Detection(<RL)
  - 3.RL =Reporting Limit
  - 4.NA = Not Applicable

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com

Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China

**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 17 of 38

**1.3.6 Phthalates Content - ASTM F963-23 Section 4.3.8**

Test Method: With reference to CPSC-CH-C1001-09.4, analysis was performed by Gas Chromatograph-Mass Spectrometer (GC-MS).

Test Item(s)	CAS No.	Unit	Result	Result	RL	Limit
			1+2+3(Mix)	4+5+6(Mix)		
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%	N.D.	N.D.	0.003	0.1
Di-butyl phthalate (DBP)	84-74-2	%	N.D.	N.D.	0.003	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	N.D.	N.D.	0.003	0.1
Di-isononyl phthalate (DINP)	28553- 12-0 68515-48-0	%	N.D.	N.D.	0.010	0.1
Di-n-pentyl phthalate (DPENP)	131- 18-0	%	N.D.	N.D.	0.003	0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	N.D.	N.D.	0.003	0.1
Di-isobutyl phthalate (DIBP)	84-69-5	%	N.D.	N.D.	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	%	N.D.	N.D.	0.003	0.1
Conclusion	--	--	PASS	PASS	--	--

Test Item(s)	CAS No.	Unit	Result	Result	RL	Limit
			7+8+9(Mix)	10+11+12(Mix)		
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%	N.D.	N.D.	0.003	0.1
Di-butyl phthalate (DBP)	84-74-2	%	N.D.	N.D.	0.003	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	N.D.	N.D.	0.003	0.1
Di-isononyl phthalate (DINP)	28553- 12-0 68515-48-0	%	N.D.	N.D.	0.010	0.1
Di-n-pentyl phthalate (DPENP)	131- 18-0	%	N.D.	N.D.	0.003	0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	N.D.	N.D.	0.003	0.1
Di-isobutyl phthalate (DIBP)	84-69-5	%	N.D.	N.D.	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	%	N.D.	N.D.	0.003	0.1
Conclusion	--	--	PASS	PASS	--	--

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com

Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China

**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 18 of 38

Test Item(s)	CAS No.	Unit	Result	Result	RL	Limit
			13+14+15(Mix)	16+17(Mix)		
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%	N.D.	N.D.	0.003	0.1
Di-butyl phthalate (DBP)	84-74-2	%	N.D.	N.D.	0.003	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	N.D.	N.D.	0.003	0.1
Di-isononyl phthalate (DINP)	28553- 12-0 68515-48-0	%	N.D.	N.D.	0.010	0.1
Di-n-pentyl phthalate (DPENP)	131- 18-0	%	N.D.	N.D.	0.003	0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	N.D.	N.D.	0.003	0.1
Di-isobutyl phthalate (DIBP)	84-69-5	%	N.D.	N.D.	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	%	N.D.	N.D.	0.003	0.1
Conclusion	--	--	PASS	PASS	--	--

Test Item(s)	CAS No.	Unit	Result	--	RL	Limit
			18+19(Mix)	--		
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%	N.D.	--	0.003	0.1
Di-butyl phthalate (DBP)	84-74-2	%	N.D.	--	0.003	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	N.D.	--	0.003	0.1
Di-isononyl phthalate (DINP)	28553- 12-0 68515-48-0	%	N.D.	--	0.010	0.1
Di-n-pentyl phthalate (DPENP)	131- 18-0	%	N.D.	--	0.003	0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	N.D.	--	0.003	0.1
Di-isobutyl phthalate (DIBP)	84-69-5	%	N.D.	--	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	%	N.D.	--	0.003	0.1
Conclusion	--	--	PASS	--	--	--

- Note:
- 1.% = percentage by weight
  - 2.N.D.=No Detection(<RL)
  - 3.RL =Reporting Limit

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com  
Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China



2 CPSA Section 14(a)(5)Tracking Labels for Children's Products (15 USC §2063(a)(5)(CPSA))

Requirement	Result			
	A	B	C	D
The manufacturer of a children's product shall place permanent,distinguishing marks its packaging include:	PASS	PASS	PASS	PASS
-the manufacturer or private labeler,location and date of production of the product, cohort information (including the batch,run number,or other identifying characteristic), and any other information determined by the manufacturer to facilitate ascertaining the specific source of the product by reference to those marks.				
The manufacturer of a children's product shall place permanent,distinguishing marks on the product include:	PASS	PASS	PASS	PASS
-the manufacturer or private labeler,location and date of production of the product, cohort information (including the batch,run number,or other identifying characteristic), and any other information determined by the manufacturer to facilitate ascertaining the specific source of the product by reference to those marks.				

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com

Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China



3 16 CFR 1500.48-Sharp Point, 16 CFR 1500.49-Sharp Edge, 16 CFR 1501 Small part rule

NO.	Test Item(s)	Requirements of Standard	Result			
			A	B	C	D
3	16 CFR 1501 Small part rule	Toys and other article intended for use by children under 3 years of age shall not have small parts since it presents a choking, aspiration, or ingestion hazard. Toys and other article are subject to this requirement before or after use and abuse testing.	NA	NA	NA	NA
	16 CFR 1500.48	Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of age.	PASS	PASS	PASS	PASS
	16 CFR 1500.49	Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age.	PASS	PASS	PASS	PASS

Note: NA. = Not Applicable

4 16 CFR 1500.50.51.52.53 Simulating use and abuse of toys

NO.	Test Item(s)	Requirements of Standard	Result			
			A	B	C	D
4	CPSC 16 CFR 1500.50	Normal use testing	PASS	PASS	PASS	PASS
	CPSC 16 CFR 1500.53b	Impact test	PASS	PASS	PASS	PASS
	CPSC 16 CFR 1500.53c	Bite test	NA	NA	NA	NA
	CPSC 16 CFR 1500.53d	Flexure test	NA	NA	NA	NA
	CPSC 16 CFR 1500.53e	Torque test	PASS	PASS	PASS	PASS
	CPSC 16 CFR 1500.53f	Tension test	PASS	PASS	PASS	PASS
	CPSC 16 CFR 1500.53g	Compression test	NA	NA	NA	NA

Note: NA. = Not Applicable

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.



**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 21 of 38

**5 CPSC 16 CFR Part 1303 - Lead Paint Regulation**

Test Method: With reference to CPSC-CH-E1003-09.1, analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Test Item	Unit	Result	--	--	RL	Limit
		--	--	--		
Lead (Pb)	mg/kg	NA	--	--	10	90
Conclusion	--	NA	--	--	--	--

- Note:
- 1.mg/kg=milligram per kilogram
  - 2.N.D.=No Detection(<RL)
  - 3.RL =Reporting Limit
  - 4.NA = Not Applicable

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: [dst@dst-test.com](mailto:dst@dst-test.com) <http://www.dst-test.com>

Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China



**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 22 of 38

**6 Total cadmium (Cd) according to CSPA-RCW 70A.430.020**

Test Method: With reference to EPA 3050B:1996(metal),EPA 3052:1996 (nonmetal),analyzed by ICP-OES.

Test Item	Unit	Result	Result	Result	RL	Limit
		1+2+3(Mix)	4+5+6(Mix)	7+8+9(Mix)		
Total cadmium (Cd)	mg/kg	N.D.	N.D.	N.D.	10	40
Conclusion	--	PASS	PASS	PASS	--	--

Test Item	Unit	Result	Result	Result	RL	Limit
		10+11+12(Mix)	13+14+15(Mix)	16+17(Mix)		
Total cadmium (Cd)	mg/kg	N.D.	N.D.	N.D.	10	40
Conclusion	--	PASS	PASS	PASS	--	--

Test Item	Unit	Result	Result	--	RL	Limit
		18+19(Mix)	20	--		
Total cadmium (Cd)	mg/kg	N.D.	26	--	10	40
Conclusion	--	PASS	PASS	--	--	--

- Note:
- 1.mg/kg=milligram per kilogram
  - 2.N.D.=No Detection(<RL)
  - 3.RL =Reporting Limit.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com  
 Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China



**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 23 of 38

**7 Total Lead(Pb) - California Proposition 65**

Test Method: With reference to CPSC-CH-E1001-08.3(metal), CPSC-CH-E1002-08.3 (nonmetal), CPSC-CH-E1003-09.1(coating), analysis was performed by ICP-OES.

Test Item	Unit	Result	Result	Result	RL	Limit
		1+2+3(Mix)	4+5+6(Mix)	7+8+9(Mix)		
Lead (Pb)	mg/kg	N.D.	N.D.	N.D.	10	100(Substrate) 90(Coating)
Conclusion	--	PASS	PASS	PASS	--	--

Test Item	Unit	Result	Result	Result	RL	Limit
		10+11+12(Mix)	13+14+15(Mix)	16+17(Mix)		
Lead (Pb)	mg/kg	N.D.	N.D.	N.D.	10	100(Substrate) 90(Coating)
Conclusion	--	PASS	PASS	PASS	--	--

Test Item	Unit	Result	Result	--	RL	Limit
		18+19(Mix)	20	--		
Lead (Pb)	mg/kg	N.D.	46	--	10	100(Substrate) 90(Coating)
Conclusion	--	PASS	PASS	--	--	--

- Note:
- 1.mg/kg=milligram per kilogram
  - 2.N.D.=No Detection(<RL)
  - 3.RL =Reporting Limit

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.



**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 24 of 38

**8 Total Cadmium(Cd) - California Proposition 65**

Test Method: With reference to EPA 3050B:1996(metal),EPA 3052:1996 (nonmetal),analysis was performed by ICP-OES

Test Item	Unit	Result	Result	Result	RL	Limit
		1+2+3(Mix)	4+5+6(Mix)	7+8+9(Mix)		
Total cadmium (Cd)	mg/kg	N.D.	N.D.	N.D.	10	100
Conclusion	--	PASS	PASS	PASS	--	--

Test Item	Unit	Result	Result	Result	RL	Limit
		10+11+12(Mix)	13+14+15(Mix)	16+17(Mix)		
Total cadmium (Cd)	mg/kg	N.D.	N.D.	N.D.	10	100
Conclusion	--	PASS	PASS	PASS	--	--

Test Item	Unit	Result	Result	--	RL	Limit
		18+19(Mix)	20	--		
Total cadmium (Cd)	mg/kg	N.D.	26	--	10	100
Conclusion	--	PASS	PASS	--	--	--

- Note:
- 1.mg/kg=milligram per kilogram
  - 2.N.D.=No Detection(<RL)
  - 3.RL =Reporting Limit

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com  
 Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China



9 Phthalates - California Proposition 65

Test Method: With reference to CPSC-CH-C1001-09.4, analysis was performed by GC-MS.

Test Item(s)	Unit	Result	Result	RL	Limit
		1+2+3(Mix)	4+5+6(Mix)		
Dibutyl Phthalate(DBP)	%	N.D.	N.D.	0.003	0.1
Benzylbutyl Phthalate (BBP)	%	N.D.	N.D.	0.003	0.1
Di-(2-ethylhexyl) Phthalate(DEHP)	%	N.D.	N.D.	0.003	0.1
Di-n-octyl phthalate(DNOP)	%	N.D.	N.D.	0.003	0.1
Diisononyl phthalate(DINP)	%	N.D.	N.D.	0.010	0.1
Diisodecyl phthalate (DIDP)	%	N.D.	N.D.	0.010	0.1
Dihexyl phthalate (DHP/DnHP)	%	N.D.	N.D.	0.003	0.1
Diisobutyl phthalate(DIBP)	%	N.D.	N.D.	0.003	0.1
Conclusion	--	PASS	PASS	--	--

Test Item(s)	Unit	Result	Result	RL	Limit
		7+8+9(Mix)	10+11+12(Mix)		
Dibutyl Phthalate(DBP)	%	N.D.	N.D.	0.003	0.1
Benzylbutyl Phthalate (BBP)	%	N.D.	N.D.	0.003	0.1
Di-(2-ethylhexyl) Phthalate(DEHP)	%	N.D.	N.D.	0.003	0.1
Di-n-octyl phthalate(DNOP)	%	N.D.	N.D.	0.003	0.1
Diisononyl phthalate(DINP)	%	N.D.	N.D.	0.010	0.1
Diisodecyl phthalate (DIDP)	%	N.D.	N.D.	0.010	0.1
Dihexyl phthalate (DHP/DnHP)	%	N.D.	N.D.	0.003	0.1
Diisobutyl phthalate(DIBP)	%	N.D.	N.D.	0.003	0.1
Conclusion	--	PASS	PASS	--	--

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 26 of 38

Test Item(s)	Unit	Result	Result	RL	Limit
		13+14+15(Mix)	16+17(Mix)		
Dibutyl Phthalate(DBP)	%	N.D.	N.D.	0.003	0.1
Benzylbutyl Phthalate (BBP)	%	N.D.	N.D.	0.003	0.1
Di-(2-ethylhexyl) Phthalate(DEHP)	%	N.D.	N.D.	0.003	0.1
Di-n-octyl phthalate(DNOP)	%	N.D.	N.D.	0.003	0.1
Diisononyl phthalate(DINP)	%	N.D.	N.D.	0.010	0.1
Diisodecyl phthalate (DIDP)	%	N.D.	N.D.	0.010	0.1
Dihexyl phthalate (DHP/DnHP)	%	N.D.	N.D.	0.003	0.1
Diisobutyl phthalate(DIBP)	%	N.D.	N.D.	0.003	0.1
Conclusion	--	PASS	PASS	--	--

Test Item(s)	Unit	Result	--	RL	Limit
		18+19(Mix)	--		
Dibutyl Phthalate(DBP)	%	N.D.	--	0.003	0.1
Benzylbutyl Phthalate (BBP)	%	N.D.	--	0.003	0.1
Di-(2-ethylhexyl) Phthalate(DEHP)	%	N.D.	--	0.003	0.1
Di-n-octyl phthalate(DNOP)	%	N.D.	--	0.003	0.1
Diisononyl phthalate(DINP)	%	N.D.	--	0.010	0.1
Diisodecyl phthalate (DIDP)	%	N.D.	--	0.010	0.1
Dihexyl phthalate (DHP/DnHP)	%	N.D.	--	0.003	0.1
Diisobutyl phthalate(DIBP)	%	N.D.	--	0.003	0.1
Conclusion	--	PASS	--	--	--

- Note:
- 1.% = percentage by weight
  - 2.N.D.=No Detection(<RL)
  - 3.RL =Reporting Limit

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com  
Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China



10 Consumer Product Safety Improvement Act of 2008 (CPSIA)

10.1 CPSIA Sec.101.(a) Lead in Total Lead Content in Substrate Children's Products

-CPSIA Sec.101.(a) Lead in Non-Metal Children's Products (CPSC-CH-E1002-08.3 )

-CPSIA Sec.101.(a) Lead in Metal Children's Products (CPSC-CH-E1001-08.3 )

Test Method: With reference to CPSC-CH-E1001-08.3 and CPSC-CH-E1002-08.3, analysis was performed by ICP-OES.

Test Item	Unit	Result	Result	Result	RL	Limit
		1+2+3(Mix)	4+5+6(Mix)	7+8+9(Mix)		
Lead (Pb)	mg/kg	N.D.	N.D.	N.D.	10	100
Conclusion	--	PASS	PASS	PASS	--	--

Test Item	Unit	Result	Result	Result	RL	Limit
		10+11+12(Mix)	13+14+15(Mix)	16+17(Mix)		
Lead (Pb)	mg/kg	N.D.	N.D.	N.D.	10	100
Conclusion	--	PASS	PASS	PASS	--	--

Test Item	Unit	Result	Result	--	RL	Limit
		18+19(Mix)	20	--		
Lead (Pb)	mg/kg	N.D.	46	--	10	100
Conclusion	--	PASS	PASS	--	--	--

- Note:
- 1.mg/kg=milligram per kilogram
  - 2.N.D.=No Detection(<RL)
  - 3.RL =Reporting Limit

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.



**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 28 of 38

**10.2 CPSIA Sec.101.(f) Lead content for surface coating**

-CPSIA Sec.101.(f) Lead content for coating (CPSC-CH-E1003-09.1)

Test Method: With reference to CPSC-CH-E1003-09.1, analysis was performed by ICP-OES.

Test Item	Unit	Result	--	--	RL	Limit
		--	--	--		
Lead (Pb)	mg/kg	NA	--	--	10	90
Conclusion	--	NA	--	--	--	--

- Note:
- 1.mg/kg=milligram per kilogram
  - 2.N.D.=No Detection(<RL)
  - 3.RL =Reporting Limit
  - 4.NA = Not Applicable

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com

Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China

**11 Phthalates - Consumer Product Safety Improvement Act of 2008 (CPSIA) Sec.108**

Test Method: With reference to CPSC-CH-C1001-09.4, analysis was performed by GC-MS.

Test Item(s)	CAS No.	Unit	Result	Result	RL	Limit
			1+2+3(Mix)	4+5+6(Mix)		
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%	N.D.	N.D.	0.003	0.1
Di-butyl phthalate (DBP)	84-74-2	%	N.D.	N.D.	0.003	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	N.D.	N.D.	0.003	0.1
Di-isononyl phthalate (DINP)	28553- 12-0 68515-48-0	%	N.D.	N.D.	0.010	0.1
Di-n-pentyl phthalate(DPENP)	131- 18-0	%	N.D.	N.D.	0.003	0.1
Di-n-hexyl phthalate(DHEXP)	84-75-3	%	N.D.	N.D.	0.003	0.1
Di-isobutyl phthalate(DIBP)	84-69-5	%	N.D.	N.D.	0.003	0.1
Dicyclohexyl phthalate(DCHP)	84-61-7	%	N.D.	N.D.	0.003	0.1
Conclusion	--	--	PASS	PASS	--	--

Test Item(s)	CAS No.	Unit	Result	Result	RL	Limit
			7+8+9(Mix)	10+11+12(Mix)		
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%	N.D.	N.D.	0.003	0.1
Di-butyl phthalate (DBP)	84-74-2	%	N.D.	N.D.	0.003	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	N.D.	N.D.	0.003	0.1
Di-isononyl phthalate (DINP)	28553- 12-0 68515-48-0	%	N.D.	N.D.	0.010	0.1
Di-n-pentyl phthalate(DPENP)	131- 18-0	%	N.D.	N.D.	0.003	0.1
Di-n-hexyl phthalate(DHEXP)	84-75-3	%	N.D.	N.D.	0.003	0.1
Di-isobutyl phthalate(DIBP)	84-69-5	%	N.D.	N.D.	0.003	0.1
Dicyclohexyl phthalate(DCHP)	84-61-7	%	N.D.	N.D.	0.003	0.1
Conclusion	--	--	PASS	PASS	--	--

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com

Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China

**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 30 of 38

Test Item(s)	CAS No.	Unit	Result	Result	RL	Limit
			13+14+15(Mix)	16+17(Mix)		
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%	N.D.	N.D.	0.003	0.1
Di-butyl phthalate (DBP)	84-74-2	%	N.D.	N.D.	0.003	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	N.D.	N.D.	0.003	0.1
Di-isononyl phthalate (DINP)	28553- 12-0 68515-48-0	%	N.D.	N.D.	0.010	0.1
Di-n-pentyl phthalate(DPENP)	131- 18-0	%	N.D.	N.D.	0.003	0.1
Di-n-hexyl phthalate(DHEXP)	84-75-3	%	N.D.	N.D.	0.003	0.1
Di-isobutyl phthalate(DIBP)	84-69-5	%	N.D.	N.D.	0.003	0.1
Dicyclohexyl phthalate(DCHP)	84-61-7	%	N.D.	N.D.	0.003	0.1
Conclusion	--	--	PASS	PASS	--	--

Test Item(s)	CAS No.	Unit	Result	--	RL	Limit
			18+19(Mix)	--		
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%	N.D.	--	0.003	0.1
Di-butyl phthalate (DBP)	84-74-2	%	N.D.	--	0.003	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	N.D.	--	0.003	0.1
Di-isononyl phthalate (DINP)	28553- 12-0 68515-48-0	%	N.D.	--	0.010	0.1
Di-n-pentyl phthalate(DPENP)	131- 18-0	%	N.D.	--	0.003	0.1
Di-n-hexyl phthalate(DHEXP)	84-75-3	%	N.D.	--	0.003	0.1
Di-isobutyl phthalate(DIBP)	84-69-5	%	N.D.	--	0.003	0.1
Dicyclohexyl phthalate(DCHP)	84-61-7	%	N.D.	--	0.003	0.1
Conclusion	--	--	PASS	--	--	--

- Note:
- 1.% = percentage by weight
  - 2.N.D.=No Detection(<RL)
  - 3.RL =Reporting Limit

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com  
Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China



**12 16 CFR Part 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates**

Test Method: With reference to CPSC-CH-C1001-09.4, analysis was performed by Gas Chromatograph-Mass Spectrometer (GC-MS).

Test Item(s)	CAS No.	Unit	Result	Result	RL	Limit
			1+2+3(Mix)	4+5+6(Mix)		
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%	N.D.	N.D.	0.003	0.1
Di-butyl phthalate (DBP)	84-74-2	%	N.D.	N.D.	0.003	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	N.D.	N.D.	0.003	0.1
Di-isononyl phthalate (DINP)	28553- 12-0 68515-48-0	%	N.D.	N.D.	0.010	0.1
Di-n-pentyl phthalate(DPENP)	131- 18-0	%	N.D.	N.D.	0.003	0.1
Di-n-hexyl phthalate(DHEXP)	84-75-3	%	N.D.	N.D.	0.003	0.1
Di-isobutyl phthalate(DIBP)	84-69-5	%	N.D.	N.D.	0.003	0.1
Dicyclohexyl phthalate(DCHP)	84-61-7	%	N.D.	N.D.	0.003	0.1
Conclusion	--	--	PASS	PASS	--	--

Test Item(s)	CAS No.	Unit	Result	Result	RL	Limit
			7+8+9(Mix)	10+11+12(Mix)		
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%	N.D.	N.D.	0.003	0.1
Di-butyl phthalate (DBP)	84-74-2	%	N.D.	N.D.	0.003	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	N.D.	N.D.	0.003	0.1
Di-isononyl phthalate (DINP)	28553- 12-0 68515-48-0	%	N.D.	N.D.	0.010	0.1
Di-n-pentyl phthalate(DPENP)	131- 18-0	%	N.D.	N.D.	0.003	0.1
Di-n-hexyl phthalate(DHEXP)	84-75-3	%	N.D.	N.D.	0.003	0.1
Di-isobutyl phthalate(DIBP)	84-69-5	%	N.D.	N.D.	0.003	0.1
Dicyclohexyl phthalate(DCHP)	84-61-7	%	N.D.	N.D.	0.003	0.1
Conclusion	--	--	PASS	PASS	--	--

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

**Test Report**

Report No : DST2613030154CR

Date: Apr.07,2026

Page 32 of 38

Test Item(s)	CAS No.	Unit	Result	Result	RL	Limit
			13+14+15(Mix)	16+17(Mix)		
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%	N.D.	N.D.	0.003	0.1
Di-butyl phthalate (DBP)	84-74-2	%	N.D.	N.D.	0.003	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	N.D.	N.D.	0.003	0.1
Di-isononyl phthalate (DINP)	28553- 12-0 68515-48-0	%	N.D.	N.D.	0.010	0.1
Di-n-pentyl phthalate(DPENP)	131- 18-0	%	N.D.	N.D.	0.003	0.1
Di-n-hexyl phthalate(DHEXP)	84-75-3	%	N.D.	N.D.	0.003	0.1
Di-isobutyl phthalate(DIBP)	84-69-5	%	N.D.	N.D.	0.003	0.1
Dicyclohexyl phthalate(DCHP)	84-61-7	%	N.D.	N.D.	0.003	0.1
Conclusion	--	--	PASS	PASS	--	--

Test Item(s)	CAS No.	Unit	Result	--	RL	Limit
			18+19(Mix)	--		
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%	N.D.	--	0.003	0.1
Di-butyl phthalate (DBP)	84-74-2	%	N.D.	--	0.003	0.1
Butyl benzyl phthalate (BBP)	85-68-7	%	N.D.	--	0.003	0.1
Di-isononyl phthalate (DINP)	28553- 12-0 68515-48-0	%	N.D.	--	0.010	0.1
Di-n-pentyl phthalate(DPENP)	131- 18-0	%	N.D.	--	0.003	0.1
Di-n-hexyl phthalate(DHEXP)	84-75-3	%	N.D.	--	0.003	0.1
Di-isobutyl phthalate(DIBP)	84-69-5	%	N.D.	--	0.003	0.1
Dicyclohexyl phthalate(DCHP)	84-61-7	%	N.D.	--	0.003	0.1
Conclusion	--	--	PASS	--	--	--

- Note:
- 1.% = percentage by weight
  - 2.N.D.=No Detection(<RL)
  - 3.RL =Reporting Limit

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com  
Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China



13 CPSIA Section 103-Tracking Labels For Children's Products

Description	Result			
	A	B	C	D
a) Is the product intended for children under 12 years? If no, the section is not applicable.	Y	Y	Y	Y
b) Is the product under the exemption of marking on children's product?	N	N	N	N
1. Product is too small to be marked.	N	N	N	N
2. Products stay with or be contained in their original packaging.	N	N	N	N
3. Product is sold through a bulk vending machine.	N	N	N	N
4. Physical mark would weaken or damage the product or impair its utility.	N	N	N	N
5. Product surface would be impossible to mark permanently.	N	N	N	N
6. Aesthetics of the product would be ruined by a mark.	N	N	N	N
c) Is the product and packaging or only packaging (for product exempted from the marking) marked below information?	P	P	P	P
1) Name of the manufacturer or the name of the private labeler.	Y	Y	Y	Y
2) Manufacturer or private labeler location, including the name of the country, and the name or other means of coding of city and state.	Y	Y	Y	Y
3) Date of production of the product, in a form of MM/YY or any other coding system.	Y	Y	Y	Y
4) Cohort information (including the batch, run number, or another identifying characteristic).	Y	Y	Y	Y
d) Is the label permanent after below permanency testing?	P	P	P	P

Remark: P = Pass, F = Fail, Y = Yes , N= Not

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Sample and packaging pictures:

Test sample pictures




Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com

Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China

Test sample pictures



Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com

Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China

Test sample pictures





Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: [dst@dst-test.com](mailto:dst@dst-test.com) <http://www.dst-test.com>

Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China

Tracking Label





Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel: +86-0769-81226036 E-mail: [dst@dst-test.com](mailto:dst@dst-test.com) <http://www.dst-test.com>

Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China

Tracking Label



\*\*\* End of Report \*\*\*



Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd. Tel:+86-0769-81226036 E-mail: dst@dst-test.com http:www.dst-test.com  
Room 107, No.18, Houjie Road, Houjie Town, Dongguan, Guangdong, China