



VITS
VANJUST TESTING
INSPECTION SERVICE



中国认可
国际互认
检测
TESTING
CNAS L9713

Test Report

No.:W2522309R1

Date:2025-12-22

Page 1 of 31

Applicant :SHANTOU CHENGHAI LIANSHANG MINGFENG TOYS FACTORY

Address :Yuan Nianggong Market, North of Tashan Temple Road, Tucheng Village, Lianshang Town, Chenghai District, Shantou City, GUANGDONG PROVINCE, CHINA

Sample Description:

Name of Product / Item :REMOTE CONTROL CAR SERIES

Item No. :See Attachment Information Table

Labeled Age Grading :3+

Requested Age Grading :3+

Above sample information was submitted and/or identified by client

Quantity of Sample :2 sets

Age Group Assessed As Per Age Guideline :Over 3 years

Age Group Applied in Testing :Over 3 years

Sample Receiving Date :2025-12-04

Sample Resubmitted Date :2025-12-11

Testing Period :2025-12-04 TO 2025-12-15

Power Source :Car: 4 X 1.5V AA
Controller:2 X 1.5V AA

Signed for and on behalf of
Guangdong Vanjust Testing Technology
Co., Ltd



Nancy

Nancy Wang

Lab Manager



Guangdong Vanjust Testing Technology Co., Ltd
Room 201, Building A, Guanghua Industrial Zone, Longtian Community, Guangyi Street, Chenghai District, Shantou, Guangdong, China (515800)
Tel:(86-754)87211449 Email:lab@vanjust.com

This document cannot be reproduced except in full, without prior approval of our laboratory. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



TEST REQUESTED

CONCLUSION

Standard of Consumer Safety Specification for Toy Safety

- ASTM F963-23 : Physical and Mechanical Tests **Pass**
- ASTM F963-23 :Clause 4.2 Flammability Test **Pass**
- ASTM F963-23 :Clause 4.3.5 Heavy elements test **Pass**
- ASTM F963-23 : Clause 4.3.8 Phthalates **Pass**
- ASTM F963-23 : Clause 4.25 Battery-Operated Toys **Pass**

Code of Federal Regulations, Title 16, Chapter II-Consumer Product Safety Commission

- Mechanical & Physical **Pass**
- Part 1500.44 Method for determining extremely flammable and flammable solids **Pass**
- Part 1303 –Ban of lead-containing paint and certain consumer products bearing lead-containing paint **Pass**

US Consumer Product Safety Improvement Act of 2008 (CPSIA) with amendment (H.R.2715)

- Lead in surface-coatings and similar materials of children's products **Pass**
- Lead in substrate materials of children's products **Pass**
- US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates **Pass**

California proposition 65 settlements

- Consent Judgment No. RG- 356892 for total Lead content **Pass**
- Consent Judgment No. BG-350969 on phthalate content **Pass**

CPSIA Section 103 - Tracking labels for children's products

Pass

SELECTED TEST(S) AS REQUESTED BY THE APPLICANT, PLEASE REFER TO THE FOLLOWING PAGE(S) FOR DETAILS



Item No. 882-16,882D-16,883-16,883D-16,884-16,884D-16,885-16,885D-16,886-16,886D-16,308-20,308D-20,608-20,608D-20,708-20,708D-20,808D-20,812D,813D,814D,815D,816D,817D,5518D-16,5518D-12,5519D-16,5519D-12,854D-12,852D-12,228D-14,228-14,229D-14,229-14,125D-16,125-16,108D-19,108-19,819D-14,819-14,532D-12,532-12,541D-12,541-12,523D-12,523-12,2919,2918,2219,2218,541D-16,541-16,532D-16,532-16,523D-16,523-16,831D,831,832D,832,833D,833,834D,834,835D,835,836D,836,816D-16,816-16,809D-20,809-20,804D-20,804-20,533-9,533D-9,827-20,827D-20,255D-11,255-11,242D-11,242-11,233D-12,233-12,801D-20,801-20,803D-20,803-20,807D-20,807-20,801D-L20,801-L20,803D-L20,803-L20,804D-L20,804-L20,807D-L20,807-L20,809D-L20,809-L20,881D-20,881-20,881D-L20,881-L20,891D-20,891-20,891D-L20,891-L20,868D-14,868-14,6603D-3,6677P



ASTM F963-23 : Standard of Consumer Safety Specification for Toy Safety

As specified in ASTM F963-23 Standard Consumer Safety Specification for Toys Safety.

Clause	Description	Assessment
4	Safety Requirements	--
4.1	Material Quality	Pass
4.2	Flammability	Pass Refer to Appendix 1 for details
4.3	Toxicology	--
4.3.5	Heavy Elements	--
4.3.5.1	Heavy Elements in Paint/Similar Surface Coating Materials on the tested specimen(s)	Pass Refer to Appendix 2 for details
4.3.5.2	Heavy Elements in Substrate Materials on the tested specimen(s)	Pass Refer to Appendix 2 for details
4.3.8	Phthalates	Pass Refer to Appendix 3 for details
4.5	Sound-producing Toys	N/A
4.6	Small Objects	--
4.6.1	Toys that are intended for children under 36 months of age	N/A
4.6.2	Mouth-actuated Toys	N/A
4.6.3	Toys and games intended for children at least 3 years old but less than 6 years of age	Pass
4.7	Accessible Edges	--
4.7.1	Accessible sharp edges of metal or glass	Pass
4.7.2	Functional Sharp Edges	N/A
4.7.3	Edges on metal toys	N/A
4.7.4	Edges on molded toys	Pass
4.7.5	Exposed Bolts or Threaded Rods	N/A
4.8	Projections	Pass



Test Report

No.:W2522309R1

Date:2025-12-22

Page 5 of 31

Clause	Description	Assessment
4.9	Accessible Points	--
4.9.1	Accessible Sharp Points	Pass
4.9.2	Functional Sharp Points	N/A
4.9.3	Wooden Toys	N/A
4.10	Wires or Rods	N/A
4.11	Nails & Fasteners	Pass
4.12	Plastic Film	N/A
4.13	Folding Mechanisms & Hinges	--
4.13.1	Folding Mechanisms	N/A
4.13.2	Hinge-line Clearance	N/A
4.14	Cords, Straps, and Elastics	--
4.14.1	Cords, Straps, and Elastics in Toys	N/A
4.14.2	Self-retracting Pull Cords	N/A
4.14.3	Pull Toys	N/A
4.14.4	Strings and Lines for Flying Devices	N/A
4.14.5	Cords on Toy Bags Intended for Children Up to 18 Months	N/A
4.14.6	Ride-on Toys	N/A
4.15	Stability & Over-Load Requirements	--
4.15.2	Sideways Stability Requirements (≤ 60 months)	N/A
4.15.3	Fore and Aft Stability (≤ 60 months)	N/A
4.15.4	Stability of Stationary Floor Toys	N/A
4.15.5	Overload Requirements for Ride-On Toys and Toy Seats	N/A
4.15.6	Wheeled Ride-on Toys	N/A
4.16	Confined Spaces	--
4.16.1	Ventilation	N/A
4.16.2	Closures	N/A
4.16.3	Toys that Enclose the Head	N/A



Clause	Description	Assessment
4.17	Wheels, Tires, and Axles	Pass
4.18	Holes, Clearance & Accessibility of Mechanisms	--
4.18.1	Accessible Clearances for Moveable Segments	Pass
4.18.2	Circular Holes in Rigid Materials	Pass
4.18.3	Chains and Belts	N/A
4.18.4	Inaccessibility of Mechanisms	Pass
4.18.5	Winding Keys	N/A
4.18.6	Coil Springs	N/A
4.19	Simulated Protective Devices	--
4.19.1	Eye Protection	N/A
4.19.2	Simulate Safety Protective Device	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	--
4.21.1	All Projectiles	N/A
4.21.2	Projectile Toys with Stored Energy	N/A
4.21.3	Projectile Toys without Stored Energy	N/A
4.21.4	Rotors	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys	Pass Refer to Appendix 4 for details
4.26	Toys Intended to be Attached to a Crib or Playpen	--
4.26.1	Protrusions	N/A
4.26.2	Crib Mobiles	N/A
4.26.3	Crib Gyms	N/A
4.27	Stuffed and Beanbag-type Toys	N/A



Clause	Description	Assessment
4.28	Stroller and Carriage Toys	N/A
4.29	Art Materials	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys with Nearly Spherical Ends	--
4.32.1	Nearly spherical, hemispherical, circular flared, or Dome-shaped Ends of Toys or Components of Toys	N/A
4.32.2	Nearly spherical, hemispherical, or Dome-shaped Ends of Toy Fasteners	N/A
4.32.3	Preschool Play Figures	N/A
4.33	Marbles	N/A
4.34	Balls	--
4.34.1	Balls Intended for Children Under 36 Months of Age	N/A
4.34.2	Balls Intended for Children at least 3 years old but less than 8 years of age	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo-Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chests	N/A
5	Labeling Requirements	--
5.1	Federal Government Requirements	--
5.1.2	Tracking Label	Pass
5.2	Age Grading Labeling	Pass
5.3	Safety Labeling Requirements	Pass
5.4	Aquatic Toys	N/A
5.5	Crib and Playpen Toys	N/A



Clause	Description	Assessment
5.6	Mobiles	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled By an Adult	N/A
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges or Points	N/A
5.11	Small Objects, Small Balls, Marbles, and Balloons	Pass
5.12	Art Materials	N/A
5.13	Electric Toys	N/A
5.14	Battery-operated Toys	N/A
5.15	Promotional Materials	Pass
5.16	Magnets	N/A
6	Instructional Literature	--
6.1	Definition and Description	Pass
6.2	Crib & Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-Operated Toys	Pass
6.6	Battery-powered Ride-on Toys	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
7	Producer's Markings	--
7.1	Producer's Markings	Pass
7.2	Battery-powered Ride-on Toys	N/A
7.3	Toy Chests	N/A
8	Test Methods	--
8.5	Normal Use Testing	Pass
8.6	Abuse Test	Pass
8.7	Impact Test	Pass



Clause	Description	Assessment
8.8	Torque Test	Pass
8.9	Tension Test	Pass
8.10	Compression Test	Pass
8.11	Tests for Tire Removal and Snap-in Wheel and Axle Assembly Removal	N/A
8.12	Flexure Test	N/A

Note:

- N/A = Not Applicable



Appendix 1:

ASTM F963-23 :Clause 4.2 Flammability Test

A5. Flammability Testing procedure for Solids and Soft Toys

Sample	Burning rate (Inch/Sec)	Limit (Inch/Sec)
Toy Car series	DNI	0.1

Requirement

<u>Classification:</u>	<u>Acceptable Criteria</u>
Solid and Soft goods	DNI/ IBE Burning Rate \leq 0.1 in/sec.

* The submitted sample(s) was/were tested, the above result only showed the most severe burn rate of the sample(s).

Note:

- DNI = Did Not Ignite
- IBE = Ignite But Self-Extinguished
- Ave. = Average



Appendix 2:

ASTM F963-23 :Clause 4.3.5 Heavy elements test - Total Lead content

Method:ASTM F963-23 Clause 8.3

The item (s) was/were analyzed by ICP-OES.

Paint and similar surface coating materials:

<u>Tested Item(s)</u>	<u>Result(mg/kg)</u>		<u>MDL (mg/kg)</u>	<u>Limit (mg/kg)</u>
	6			
Total Lead (Pb)	N.D.		5	90

Toy substrate materials:

<u>Tested Item(s)</u>	<u>Result(mg/kg)</u>		<u>MDL (mg/kg)</u>	<u>Limit (mg/kg)</u>
	1+2+3	4+5		
Total Lead (Pb)	N.D.	N.D.	5	100

Specimen Description:

- 1 blue plastic
- 2 black plastic
- 3 red plastic
- 4 blue soft plastic
- 5 black soft plastic
- 6 multicolor coating

Note:

- MDL = Method Detection Limit
- N.D. = Not Detected (< MDL)
- mg/kg = ppm = parts per million
- The limit for composite test should be divided by the mixed number.



ASTM F963-23 :Clause 4.3.5 Heavy elements– Migration of certain elements

Method:ASTM F963-23

The item (s) was/were analyzed by ICP-OES.

Surface Coatings and Substrates Other than Modeling Clay Included as Part of a Toy:

<u>Tested Item(s)</u>	<u>Result(mg/kg)</u>						<u>MDL</u> <u>(mg/kg)</u>	<u>Limit</u> <u>(mg/kg)</u>
	1	2	3	4	5	6		
Soluble Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	60
Soluble Arsenic (As)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	25
Soluble Barium (Ba)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	1000
Soluble Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	75
Soluble Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	60
Soluble Lead (Pb)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	90
Soluble Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	60
Soluble Selenium (Se)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	500

<u>Tested Item(s)</u>	<u>Result(mg/kg)</u>						<u>MDL</u> <u>(mg/kg)</u>	<u>Limit</u> <u>(mg/kg)</u>
	7	8	9	10	11	12		
Soluble Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	60
Soluble Arsenic (As)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	25
Soluble Barium (Ba)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	1000
Soluble Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	75
Soluble Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	60
Soluble Lead (Pb)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	90
Soluble Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	60
Soluble Selenium (Se)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	500



<u>Tested Item(s)</u>	<u>Result(mg/kg)</u>					<u>MDL</u> (mg/kg)	<u>Limit</u> (mg/kg)
	13	14	15	16	17		
Soluble Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	60
Soluble Arsenic (As)	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	25
Soluble Barium (Ba)	N.D.	N.D.	N.D.	N.D.	N.D.	5	1000
Soluble Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	5	75
Soluble Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	60
Soluble Lead (Pb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	90
Soluble Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	60
Soluble Selenium (Se)	N.D.	N.D.	N.D.	N.D.	N.D.	5	500

Specimen Description:

- 1 blue plastic
- 2 blue soft plastic
- 3 greenish-blue plastic
- 4 grass green plastic
- 5 black plastic
- 6 white plastic
- 7 black soft plastic
- 8 multicolor sticker
- 9 green plastic
- 10 red plastic
- 11 golden yellow plastic
- 12 dark grey plastic
- 13 dark blue plastic
- 14 orange plastic
- 15 black soft plastic
- 16 multicolor sticker
- 17 dark grey plastic



Note:

- MDL = Method Detection Limit
- N.D. = Not Detected (< MDL)
- mg/kg = ppm = parts per million
- Results shown of soluble elements are of adjusted analytical results by subtracting analytical Correction factor (excluding special soluble Cadmium result).
- Filter paper was used instead of 0.45µm membrane filter in lab testing.



Appendix 3:

ASTM F963 - 23: Clause 4.3.8 Phthalates

Method:CPSC-CH-C1001-09.4

The item(s) was/were analyzed by GC-MS.

<u>Tested Item(s)</u>	<u>Result(mg/kg)</u>		<u>MDL</u> <u>(mg/kg)</u>	<u>Limit</u> <u>(mg/kg)</u>
	1+2+3	4+5		
Bis(2-ethylhexyl) phthalate (DEHP)	N.D.	N.D.	50	1000
Dibutyl phthalate (DBP)	N.D.	N.D.	50	1000
Benzylbutyl phthalate (BBP)	N.D.	N.D.	50	1000
Di-'isononyl' phthalate (DINP)	N.D.	N.D.	50	1000
Diisobutyl phthalate (DIBP)	N.D.	N.D.	50	1000
Di-n-pentyl phthalate (DPENP)	N.D.	N.D.	50	1000
Di-n-hexyl phthalate (DHEXP)	N.D.	N.D.	50	1000
Dicyclohexyl phthalate (DCHP)	N.D.	N.D.	50	1000

Specimen Description:

- 1 blue plastic
- 2 black plastic
- 3 red plastic
- 4 blue soft plastic
- 5 black soft plastic

Note:

- MDL = Method Detection Limit
- N.D. = Not Detected (< MDL)
- mg/kg = ppm = parts per million
- 1000 mg/kg = 0.1%
- The limit for composite test should be divided by the mixed number.



Appendix 4:

ASTM F963-23 : Clause 4.25 Battery-Operated Toys

As specified in ASTM F963-23 Standard Consumer Safety Specification for Toys Safety.

Clause	Description	Assessment
4	Safety Requirements	
4.25	Battery-Operated Toy	
4.25.1	Marking on battery compartment	Pass
4.25.2	Maximum allowable direct current potential	Pass
4.25.3	Protection against charging non-rechargeable battery	Pass
4.25.4	Battery Accessibility	Pass
4.25.5	Batteries of different types or capacities shall not be mixed within any single electrical circuit.	Pass
4.25.6	Temperature of battery surface	Pass*
4.25.7	Overheating or combustion hazard after normal use and abuse test	Pass
4.25.8	Instruction on safe battery usage	Pass
4.25.9	Battery-powered Ride-on Toys	N/A
4.25.10	Toys that Contain Secondary Cells or Secondary Batteries.	N/A

Note:

- N/A=Not applicable
- As per client's request, test conducted on specified sample.
- * The result indicated was based on re-testing on new sample submitted by applicant



Code of Federal Regulations, Title 16, Chapter II-Consumer Product Safety Commission

As specified in Code of Federal Regulations, Title 16, Chapter II-Consumer Product Safety Commission

<u>Clause</u>	<u>Description</u>	<u>Assessment</u>
1500.19	Misbranded toys and other articles intended for use by children	Pass
1500.48	Sharp point	Pass
1500.49	Sharp edge	Pass
1501	Small part	N/A
1510	Rattles	N/A
1511	Pacifiers	N/A
1500.44	Extremely flammable and flammable solids	Pass
1610	Flammability of Clothing Textiles	N/A
1500.53(b)	Impact Test	Pass
1500.53(c)	Bite Test	N/A
1500.53(d)	Flexure Test	N/A
1500.53(e)	Torque Test	Pass
1500.53(f)	Tension Test	Pass
1500.53(g)	Compression Test	Pass

Note:

- N/A=Not applicable
- * The result indicated was based on re-testing on new sample submitted by applicant



Part 1500.44 Method for determining extremely flammable and flammable solids

As Specified In Title 16 Part 1500.44 Code of Federal Regulations U. S. A

Sample	Burning rate (Inch/Sec)	Limit (Inch/Sec)
Toy Car series	DNI	0.1

Note: Burning rate has been rounded to the nearest one tenth of an inch per second.

- DNI = Did Not Ignite
- IBE = Ignite But Self-Extinguished
- Ave. = Average (two or more burn times with an average)



Part 1303 –Ban of lead-containing paint and certain consumer products bearing lead- containing paint

Method:CPSC-CH-E1003-09.1

Analyzed Apparatus: ICP-OES

<u>Tested Item(s)</u>	<u>Result(mg/kg)</u>	<u>MDL</u>	<u>Limit</u>
		<u>(mg/kg)</u>	<u>(mg/kg)</u>
	6		
Total Lead (Pb)	N.D.	5	90

Specimen Description:

6 multicolor coating

Note:

- MDL = Method Detection Limit
- N.D. = Not Detected (< MDL)
- mg/kg = ppm = parts per million



US Consumer Product Safety Improvement Act of 2008 (CPSIA) with amendment (H.R.2715)

▼ Lead in surface-coating and similar materials of children’s products

Method: CPSC-CH-E1003-09.1

The item(s) was/were analyzed by ICP-OES.

<u>Tested Item(s)</u>	<u>Result(mg/kg)</u>		<u>MDL (mg/kg)</u>	<u>Limit (mg/kg)</u>
	6			
Total Lead (Pb)	N.D.		5	90

▼ Lead in substrate materials of children’s products

Method(s): CPSC-CH-E1002-08.3

The item(s) was/were analyzed by ICP-OES.

<u>Tested Item(s)</u>	<u>Result(mg/kg)</u>		<u>MDL (mg/kg)</u>	<u>Limit (mg/kg)</u>
	1+2+3	4+5		
Total Lead (Pb)	N.D.	N.D.	5	100

Specimen Description:

- 1 blue plastic
- 2 black plastic
- 3 red plastic
- 4 blue soft plastic
- 5 black soft plastic
- 6 multicolor coating

Note:

- MDL = Method Detection Limit
- N.D. = Not Detected (< MDL)
- mg/kg = ppm = parts per million
- The limit for composite test should be divided by the mixed number.



▼**Phthalate Content**

Method: CPSC-CH-C1001-09.4

The item(s) was/were analyzed by GC-MS.

Tested Item(s)	Result(mg/kg)		MDL (mg/kg)	Limit (mg/kg)
	1+2+3	4+5		
Bis(2-ethylhexyl) phthalate (DEHP)	N.D.	N.D.	50	1000
Dibutyl phthalate (DBP)	N.D.	N.D.	50	1000
Benzylbutyl phthalate (BBP)	N.D.	N.D.	50	1000
Di-'isononyl' phthalate (DINP)	N.D.	N.D.	50	1000
Diisobutyl phthalate (DIBP)	N.D.	N.D.	50	1000
Di-n-pentyl phthalate (DPENP)	N.D.	N.D.	50	1000
Di-n-hexyl phthalate (DHEXP)	N.D.	N.D.	50	1000
Dicyclohexyl phthalate (DCHP)	N.D.	N.D.	50	1000
Di-n-octyl Phthalate (DNOP)	N.D.	N.D.	50	--
Diisodecyl Phthalate (DIDP)	N.D.	N.D.	50	--

Specimen Description:

- 1 blue plastic
- 2 black plastic
- 3 red plastic
- 4 blue soft plastic
- 5 black soft plastic

Note:

- MDL = Method Detection Limit
- N.D. = Not Detected (< MDL)
- mg/kg = ppm = parts per million
- 1000 mg/kg = 0.1%
- The limit for composite test should be divided by the mixed number.
- Method CPSC-CH-C1001-09.4 was accredited by CNAS on eight phthalates (DEHP, DBP, BBP, DINP, DIBP, DPENP, DHEXP, DCHP) test in this report.



California proposition 65 settlements

▼ Lead Content

Method: CPSC-CH-E1003-09.1 / CPSC- CH-E1002-08.3

The item(s) was/were analyzed by ICP-OES.

For toys and child care articles

Lead in paints and surface-coating materials:

<u>Tested Item(s)</u>	<u>Result(mg/kg)</u>		<u>MDL</u> (mg/kg)	<u>Limit</u> (mg/kg)
	6			
Total Lead (Pb)	N.D.		5	90

Lead in other materials:

<u>Tested Item(s)</u>	<u>Result(mg/kg)</u>		<u>MDL</u> (mg/kg)	<u>Limit</u> (mg/kg)
	1+2+3	4+5		
Total Lead (Pb)	N.D.	N.D.	5	100

Specimen Description:

- 1 blue plastic
- 2 black plastic
- 3 red plastic
- 4 blue soft plastic
- 5 black soft plastic
- 6 multicolor coating

Note:

- MDL = Method Detection Limit
- N.D. = Not Detected (< MDL)
- mg/kg = ppm = parts per million
- The limit for composite test should be divided by the mixed number.



▼ Phthalates

Method: CPSC-CH-C1001-09.4

The item(s) was/were analyzed by GC-MS.

Tested Item(s)	Result(mg/kg)		MDL (mg/kg)	Limit (mg/kg)
	1+2+3	4+5		
Bis(2-ethylhexyl) phthalate (DEHP)	N.D.	N.D.	50	1000
Dibutyl phthalate (DBP)	N.D.	N.D.	50	1000
Benzylbutyl phthalate (BBP)	N.D.	N.D.	50	1000
Diisodecyl Phthalate (DIDP)	N.D.	N.D.	50	1000
Di-n-hexyl Phthalate (DnHP)	N.D.	N.D.	50	1000
Diisononyl Phthalate (DINP)	N.D.	N.D.	50	1000

Specimen Description:

- 1 blue plastic
- 2 black plastic
- 3 red plastic
- 4 blue soft plastic
- 5 black soft plastic

Note:

- MDL = Method Detection Limit
- N.D. = Not Detected (< MDL)
- mg/kg = ppm = parts per million
- 1000 mg/kg = 0.1%
- The limit for composite test should be divided by the mixed number.
- Method CPSC-CH-C1001-09.4 was accredited by CNAS on eight phthalates (DEHP, DBP, BBP, DINP, DIBP, DPENP, DHEXP, DCHP) test in this report.



CPSIA 2008 Section.103 Tracking labels for children's products

Tracking label on product	Assessment
	Present
Tracking label on the packaging (disposable)	Assessment
	Present

Note:

- The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.
- This testing report displaces the original report of No. W2522309, and the original one No. W2522309 was invalid since the date of this testing report released.

Remark:

1. Since the data and/or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and/or information, VITS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and/or conclusions arising therefrom. Testing results only apply to the sample as received.
2. If relevant standards do not specify decision rule(s), follow decision rule as below:
"Pass" means that the measured result is within the limits, even when extended by expanded uncertainty at a level of confidence of 95%.
"Fail" means that the measured result is beyond the limit, even when extended by expanded uncertainty at a level of confidence of 95%.



Sample Photo
















Vanjust Testing authenticate the photo on original report only

***** End of Report *****